PEPFAR

U.S. President's Emergency Plan for AIDS Relief

Data for Accountability Transparency Impact Monitoring (DATIM)

1.23 Release Notes Appendix – MER FY18 Results, COP18/FY19 Targets, FY17 Results, COP17/FY19 Targets Data Entry Screen Shots

U.S. Department of State

U.S. Office of the Global AIDS Coordinator (OGAC)

PEPFAR
U.S. President's Emergency Plan for AIDS Relief

Table of Contents

PREVENTION 11

1.1 PrEP_NEW - FY18 RESULT 12
1.2 PrEP_NEW - COP18/FY19 TARGET 13
1.3 PrEP_NEW - FY17 RESULT 14
1.4 PrEP_NEW - COP17/FY18 TARGET 15
2.1 VMMC_CIRC – FY18 RESULT 16
2.2 VMMC_CIRC – COP18/FY19 TARGET 17
2.3 VMMC_CIRC - FY17 RESULT 18
2.4 VMMC_CIRC - COP17/FY18 TARGET 19
3.1 KP_PREV Numerator – FY18 RESULT 20
3.2 KP_PREV Numerator – COP18/FY19 TARGET 21
3.3 KP_PREV Numerator - FY17 RESULT 22
3.4 KP_PREV Numerator - COP17/FY18 TARGET 23
3.5 KP_PREV Denominator – FY18 RESULT 24
3.6 KP_PREV Denominator – COP18/FY19 TARGET 24
3.7 KP_PREV Denominator – FY17 RESULT 25
3.8 KP_PREV Denominator – COP17/FY18 TARGET 25
4.1 PP_PREV Numerator – FY18 RESULT 26
4.2 PP_PREV Numerator – COP18/FY19 TARGET 27
4.3 PP_PREV Numerator – FY17 RESULT 28
4.4 PP_PREV Numerator – COP17/FY18 TARGET 29
4.5 PP_PREV Denominator – FY18 RESULT 30
4.6 PP_PREV Denominator – COP18/FY19 TARGET 30

4.7 PP_PREV Denominator – FY17 RESULT 31
4.8 PP_PREV Denominator – COP17/FY18 TARGET 31
5.1 TB_PREV Numerator – FY18 RESULT 32
5.2 TB_PREV Numerator – COP18/FY19 TARGET 33
5.3 TB_PREV Numerator – FY17 RESULT 34
5.4 TB_PREV Numerator – COP17/FY18 TARGET 35
5.5 TB_PREV Denominator – FY18 RESULT 36
5.6 TB_PREV Denominator – COP18/FY19 TARGET 37
5.7 TB_PREV Denominator – FY17 RESULT 38
5.8 TB_PREV Denominator – COP17/FY18 TARGET 39
6.1 OVC_SERV – FY18 RESULT 40
6.2 OVC_SERV – COP18/FY19 TARGET 41
6.3 OVC_SERV – FY17 RESULT 42
6.4 OVC_SERV – COP17/FY18 TARGET 43
7.1 KP_MAT – FY18 RESULT 44
7.2 KP_MAT – COP18/FY19 TARGET 45
7.3 KP_MAT – FY17 RESULT 46
7.4 KP_MAT – COP17/FY18 TARGET 47
8.1 GEND_GBV – FY18 RESULT 48
8.2 GEND_GBV – COP18/FY19 TARGET 49
8.3 GEND_GBV – FY17 RESULT 50
8.4 GEND_GBV – COP17/FY18 TARGET 51
9.1 FPINT_SITE – FY18 RESULT 52
9.2 FPINT_SITE – FY17 RESULT 53
9.3 FPINT_SITE_MIL [DoD ONLY] – FY18 RESULT 54

9.4 FPINT_SITE_MIL [DoD ONLY] – FY17 RESULT 55
90 = KNOWING HIV STATUS 56
10.1 HTS_TST Numerator (Facility) – FY18 RESULTS 57
10.2 HTS_TST Numerator (Facility) - COP18/FY19 TARGET 58
10.3 HTS_TST Numerator (Facility) – FY17 RESULTS 59
10.4 HTS_TST Numerator (Facility) - COP17/FY18 TARGET 60
10.5 HTS_TST (Facility) PITC Inpatient Services– FY18 RESULTS 61
10.6 HTS_TST (Facility) PITC Inpatient Services – COP18/FY19 TARGET 62
10.7 HTS_TST (Facility) PITC Inpatient Services – FY17 RESULTS 63
10.8 HTS_TST (Facility) PITC Inpatient Services – COP17/FY18 TARGET 64
10.9 HTS_TST (Facility) PITC Pediatric Services – FY18 RESULT 65
10.10 HTS_TST (Facility) PITC Pediatric Services – COP18/FY19 TARGET 65
10.11 HTS_TST (Facility) PITC Pediatric Services – FY17 RESULT 66
10.12 HTS_TST (Facility) PITC Pediatric Services – COP17/FY18 TARGET 66
10.13 HTS_TST (Facility) PITC Malnutrition Clinics – FY18 RESULT 67
10.14 HTS_TST (Facility) PITC Malnutrition Clinics – COP18/FY19 TARGET 67
10.15 HTS_TST (Facility) PITC Malnutrition Clinics – FY17 RESULT 67
10.16 HTS_TST (Facility) PITC Malnutrition Clinics – COP17/FY18 TARGET 68
10.17 HTS_TST (Facility) PITC TB Clinics – FY18 RESULT 69
10.18 HTS_TST (Facility) PITC TB Clinics – COP18/FY19 TARGET 70
10.19 HTS_TST (Facility) PITC TB Clinics – FY17 RESULT 71
10.20 HTS_TST (Facility) PITC TB Clinics – COP17/FY18 TARGET 72
10.21 HTS_TST (Facility) PITC PMTCT ANC Only – FY18 RESULT 73
10.22 HTS_TST (Facility) PITC PMTCT ANC Only – COP18/FY19 TARGET 73
10.23 HTS_TST (Facility) PITC PMTCT ANC Only – FY17 RESULT 74

10.24 HTS_TST (Facility) PITC PMTCT ANC Only – COP17/FY18 TARGET 75
10.25 HTS_TST (Facility) PITC VMMC Services – FY18 RESULT 76
10.26 HTS_TST (Facility) PITC VMMC Services – COP18/FY19 TARGET 76
10.27 HTS_TST (Facility) PITC VMMC Services – FY17 RESULT 77
10.28 HTS_TST (Facility) PITC VMMC Services – COP17/FY18 TARGET 78
10.29 HTS_TST (Facility) PITC STI Clinic – FY18 RESULT 79
10.30 HTS_TST (Facility) PITC STI Clinic – COP18/FY19 TARGET 80
10.31 HTS_TST (Facility) PITC Emergency Ward – FY18 RESULT 81
10.32 HTS_TST (Facility) PITC Emergency Ward – COP18/FY19 TARGET 82
10.33 HTS_TST (Facility) PITC Other – FY18 RESULT 83
10.34 HTS_TST (Facility) PITC Other – COP18/FY19 TARGET 84
10.35 HTS_TST (Facility) PITC Other – FY17 RESULT 85
10.36 HTS_TST (Facility) PITC Other – COP17/FY18 TARGET 86
10.37 HTS_TST (Facility) VCT – FY18 RESULT 87
10.38 HTS_TST (Facility) VCT – COP18/FY19 TARGET 88
10.39 HTS_TST (Facility) VCT – FY17 RESULT 89
10.40 HTS_TST (Facility) VCT – COP17/FY18 TARGET 90
10.41 HTS_TST (Facility) Index Testing – FY18 RESULT 91
10.42 HTS_TST (Facility) Index Testing – COP18/FY19 TARGET 92
10.43 HTS_TST (Facility) Index Testing – FY17 RESULT 93
10.44 HTS_TST (Facility) Index Testing – COP17/FY18 TARGET 94
10.45 HTS_TST (Community) Numerator – FY18 RESULT 95
10.46 HTS_TST (Community) Numerator – COP18/FY19 TARGET 96
10.47 HTS_TST (Community) Numerator – FY17 RESULT 97
10.48 HTS_TST (Community) Numerator – COP17/FY18 TARGET 98

10.49 HTS_TST (Community) Index Service – FY18 RESULT 99
10.50 HTS_TST (Community) Index Service – COP18/FY19 TARGET 100
10.51 HTS_TST (Community) Index Service– FY17 RESULT 101
10.52 HTS_TST (Community) Index Service – COP17/FY18 TARGET 102
10.53 HTS_TST (Community) Home-Based – FY17 RESULT 103
10.54 HTS_TST (Community) Home-Based – COP17/FY18 TARGET 104
10.55 HTS_TST (Community) Mobile Service – FY18 RESULT 105
10.56 HTS_TST (Community) Mobile Service – COP18/FY19 TARGET 106
10.57 HTS_TST (Community) Mobile Service – FY17 RESULT 107
10.58 HTS_TST (Community) Mobile Service – COP17/FY18 TARGET 108
10.59 HTS_TST (Community) VCT Service – FY18 RESULT 109
10.60 HTS_TST (Community) VCT Service – COP18/FY19 TARGET 110
10.61 HTS_TST (Community) VCT Service – FY17 RESULT 111
10.62 HTS_TST (Community) VCT Service – COP17/FY18 TARGET 112
10.63 HTS_TST (Community) Other Service – FY18 RESULT 113
10.64 HTS_TST (Community) Other Service – COP18/FY19 TARGET 114
10.65 HTS_TST (Community) Other Service – FY17 RESULT 115
10.66 HTS_TST (Community) Other Service – COP17/FY18 TARGET 116
11.1 HTS_SELF – FY18 RESULT [This is a NEW Modality for FY18] 117
11.2 HTS_SELF – COP18/FY19 TARGET [This is a NEW Modality for FY18] 118
12.1 PMTCT_STAT Numerator – FY18 RESULT 119
12.2 PMTCT_STAT Numerator – COP18/FY19 TARGET 120
12.3 PMTCT_STAT Numerator – FY17 RESULT 121
12.4 PMTCT_STAT Numerator – COP17/FY18 TARGET 122
12.5 PMTCT_STAT Denominator – FY18 RESULT 123

12.6 PMTCT_STAT Denominator – COP18/FY19 TARGET 123
12.7 PMTCT_STAT Denominator – FY17 RESULT 124
12.8 PMTCT_STAT Denominator – COP17/FY18 TARGET 124
13.1 PMTCT_EID – FY18 RESULT 125
13.2 PMTCT_EID – COP18/FY19 TARGET 125
13.3 PMTCT_EID – FY17 RESULT 126
13.4 PMTCT_EID – COP17/FY18 TARGET 127
14.1 PMTCT_HEI_POS – FY18 RESULT 128
15.1 TB_STAT Numerator – FY18 RESULT 129
15.2 TB_STAT Numerator – COP18/FY19 TARGET 129
15.3 TB_STAT Numerator – FY17 RESULT 130
15.4 TB_STAT Numerator – COP17/FY18 TARGET 131
15.5 TB_STAT Denominator – FY18 RESULT 132
15.6 TB_STAT Denominator – COP18/FY19 TARGET 132
15.7 TB_STAT Denominator – FY17 RESULT 133
15.8 TB_STAT Denominator – COP17/FY18 TARGET 133
16.1 OVC_HIVSTAT – FY18 RESULT 134
16.2 OVC_HIVSTAT – COP18/FY19 TARGET 134
16.3 OVC_HIVSTAT – FY17 RESULT 135
16.4 OVC_HIVSTAT – COP17/FY18 TARGET 135
17.1 PMTCT_FO – FY18 RESULT 136
17.2 PMTCT_FO – COP18/FY19 TARGET 136
17.3 PMTCT_FO – FY17 RESULT 137
17.4 PMTCT_FO – COP17/FY18 TARGET 137
90:90 = ON ART 138

18.1 TX_NEW – FY18 RESULT 139
18.2 TX_NEW – COP18/FY19 TARGET 140
18.3 TX_NEW – FY17 RESULT 141
18.4 TX_NEW – COP17/FY18 TARGET 142
19.1 TX_CURR – FY18 RESULT 143
19.2 TX_CURR – COP18/FY19 TARGET 144
19.3 TX_CURR – FY17 RESULT 145
19.4 TX_CURR – COP17/FY18 TARGET 146
20.1 PMTCT_ART – FY18 RESULT 147
20.2 PMTCT_ART – COP18/FY19 TARGET 147
20.3 PMTCT_ART – FY17 RESULT 148
20.4 PMTCT_ART – COP17/FY18 TARGET 148
21.1 TB_ART Numerator – FY18 RESULT 149
21.2 TB_ART Numerator – COP18/ FY19 TARGET 150
21.3 TB_ART Numerator – FY17 RESULT 151
21.4 TB_ART Numerator – COP17/FY18 TARGET 152
21.5 TB_ART Denominator – FY18 RESULT 152
21.6 TB_ART Denominator – COP18/ FY19 TARGET 152
21.7 TB_ART Denominator – FY17 RESULT 153
21.8 TB_ART Denominator – COP17/ FY18 TARGET 154
22.1 TX_TB Numerator – FY18 RESULT 155
22.2 TX_TB Numerator – COP18/ FY19 TARGET 156
22.3 TX_TB Numerator – FY17 RESULT 157
22.4 TX_TB Numerator – COP17/ FY18 TARGET 158
22.5 TX_TB Denominator – FY18 RESULT 159

22.6 TX_TB Denominator – COP18/ FY19 TARGET 160
22.7 TX_TB Denominator – FY17 RESULT 161
22.8 TX_TB Denominator – COP17/ FY18 TARGET 162
90:90:90 = Viral Suppression 163
23.1 TX_RET Numerator – FY18 RESULT 164
23.2 TX_RET Numerator – COP18/FY19 TARGET 165
23.3 TX_RET Numerator – FY17 RESULT 166
23.4 TX_RET Numerator – COP17/FY18 TARGET 167
23.5 TX_RET Denominator – FY18 RESULT 168
23.6 TX_RET Denominator – COP18/FY19 TARGET 169
23.7 TX_RET Denominator – FY17 RESULT 170
23.8 TX_RET Denominator – COP17/FY18 TARGET 171
24.1 TX_PVLS Numerator – FY18 RESULT 172
24.2 TX_PVLS Numerator – COP18/FY19 TARGET 174
24.3 TX_PVLS Numerator – FY17 RESULT 175
24.4 TX_PVLS Numerator – COP17/FY18 TARGET 177
24.5 TX_PVLS Denominator – FY18 RESULT 178
24.6 TX_PVLS Denominator – COP18/FY19 TARGET 180
24.7 TX_PVLS Denominator – FY17 RESULT 181
24.8 TX_PVLS Denominator – COP17/FY18 TARGET 183
Health Systems 184
25.1 SC_STOCK Numerator – FY18 RESULTS 185
25.2 SC_STOCK Numerator – FY17 RESULTS 186
25.3 SC_STOCK Denominator – FY18 RESULTS 187
25.4 SC_STOCK Denominator – FY17 RESULTS 188

26.1 HRH_PRE – FY18 Results 189
26.2 HRH_PRE – FY17 RESULTS 190
26.3 HRH_PRE – COP17/FY17 TARGETS 191
27.1 HRH_CURR (Facility) – FY18 RESULTS 192
27.2 HRH_CURR (Facility) – FY17 RESULTS 193
27.3 HRH_CURR (Community) – FY18 RESULTS 194
27.4 HRH_CURR (Community) – FY17 RESULTS 195
27.5 HRH_CURR (OU Level) – FY18 RESULTS 196
27.6 HRH_CURR (OU Level) – FY17 RESULTS 197
28.1 HRH_STAFF – FY18 RESULTS 198
28.2 HRH_STAFF – FY18 RESULTS 199
29.1 LAB_PTCQI – FY18 RESULTS 200
29.2 LAB_PTCQI – COP18/FY19 TARGETS 204
29.3 LAB_PTCQI – FY17 RESULTS 204
29.4 LAB_PTCQI – COP17/FY18 TARGETS 206
29.5 LAB_PTCQI_MIL – FY18 RESULTS 208
29.6 LAB_PTCQI_MIL – FY17 RESULTS 213
30.1 EMR_SITE – FY18 RESULTS 217
30.2 EMR_SITE – FY17 RESULTS 218
30.3 EMR_SITE_MIL – FY18 RESULTS 219
30.4 EMR_SITE_MIL – FY17 RESULTS 220

PEPFAR
U.S. President's Emergency Plan for AIDS Relief

PREVENTION

1.1 PrEP_NEW - FY18 RESULT

DSD: PrEP_NEW	- Collapse
Required	Number of individuals who have been newly enrolled on oral antiretroviral pre-exposure prophylaxis (PrEP) in the reporting period to prevent HIV infection.
Numerator	
Required	Disaggregated by Age / Sex
Female	15-19 | 20-24 | 25-49 | 50+ | Subtotal
Male	15-19 | 20-24 | 25-49 | 50+ | Subtotal
Sub-total	Subtotal
Optional	Disaggregated by key population type: To be completed in countries where the environment is safe to collect this information.
MSM	
Transgender People	
FSW	
Other Key Population	
Sub-total	Subtotal

1.2 PrEP_NEW - COP18/FY19 TARGET

DSD: PrEP_NEW - Collapse

Required	**Number of individuals who have been newly enrolled on oral antiretroviral pre-exposure prophylaxis (PrEP) in the reporting period to prevent HIV infection.**
Numerator	
Required	**Disaggregated by Age / Sex**

	15-19	20-24	25-29	30-34	35-39	40-49	50+	
Female								Subtotal
Male								Subtotal
Sub-total	Subtotal							

Optional	**Disaggregated by key population type: To be completed in countries where the environment is safe to collect this information.**
MSM	
Transgender People	
FSW	
Other Key Population	
Sub-total	Subtotal

1.3 PrEP_NEW - FY17 RESULT

DSD: PrEP_NEW — Collapse

Required	Number of individuals who have been newly enrolled on oral antiretroviral pre-exposure prophylaxis (PrEP) in the reporting period to prevent HIV infection.
Numerator	
Required	**Disaggregated by Age / Sex**
Female	15-19 | 20-24 | 25-49 | 50+ | Subtotal
Male	15-19 | 20-24 | 25-49 | 50+ | Subtotal
Sub-total	Subtotal
Optional	**Disaggregated by key population type: To be completed in countries where the environment is safe to collect this information.**
MSM	
Transgender	
FSW	
Sub-total	Subtotal

1.4 PrEP_NEW - COP17/FY18 TARGET

DSD: PrEP_NEW — Collapse

Required	Number of individuals who have been newly enrolled on oral antiretroviral pre-exposure prophylaxis (PrEP) in the reporting period to prevent HIV infection.
Numerator	
Required	**Disaggregated by Age / Sex**
Female	15-19 | 20-24 | 25-49 | 50+ | Subtotal
Male	15-19 | 20-24 | 25-49 | 50+ | Subtotal
Sub-total	Subtotal
Optional	**Disaggregated by key population type: To be completed in countries where the environment is safe to collect this information.**
MSM	
Transgender	
FSW	
Sub-total	Subtotal

2.1 VMMC_CIRC – FY18 RESULT

DSD: VMMC_CIRC - Collapse

Required	**Number of males circumcised as part of the voluntary medical male circumcision (VMMC) for HIV prevention program within the reporting period.**
Numerator	
Required	**Disaggregated by Age**

<60 Days	2Mo-9Yr	10-14	15-19	20-24	25-29	30-49	50+

Sub-total Subtotal

Required	**Disaggregated by HIV Status and Outcome**
Number of HIV-positive clients (tested HIV positive at VMMC site)	
Number of HIV-negative clients (tested HIV negative at VMMC site)	
Number of clients with indeterminate HIV status or not tested for HIV at site (regardless of previous documentation)	
Sub-total	Subtotal

Required	**Disaggregated by Circumcision Technique / Follow-up Status**

	Technique	Follow-up Status: Within 14 days of surgery	Follow-up Status: NOT within 14 days, or did not follow-up within reporting period.
Surgical VMMC			
Device-based VMMC		Within 14 days of device placement. May include device removal.	NOT within 14 days, or did not follow-up within reporting period.
Sub-total	Subtotal	Subtotal	Subtotal

2.2 VMMC_CIRC – COP18/FY19 TARGET

DSD: VMMC_CIRC - Collapse

Required	Number of males circumcised as part of the voluntary medical male circumcision (VMMC) for HIV prevention program within the reporting period.

Numerator

Required	Disaggregated by Age

<60 Days	2Mo-9Yr	10-14	15-19	20-24	25-29	30-34	35-39	40-49	50+

Sub-total Subtotal

Required	Disaggregated by Circumcision Technique

Surgical VMMC

Device-based VMMC

Sub-total Subtotal

2.3 VMMC_CIRC - FY17 RESULT

DSD: VMMC_CIRC — Collapse

Required Number of males circumcised as part of the voluntary medical male circumcision (VMMC) for HIV prevention program within the reporting period.

Numerator

Required **Disaggregated by Age**

<60 Days	2Mo-9Yr	10-14	15-19	20-24	25-29	30-49	50+

Sub-total Subtotal

Required **Disaggregated by HIV Status and Outcome**

Number of HIV-positive clients (tested HIV positive at VMMC site)

Number of HIV-negative clients (tested HIV negative at VMMC site)

Number of clients with indeterminate HIV status or not tested for HIV at site (regardless of previous documentation)

Sub-total Subtotal

Required **Disaggregated by Circumcision Technique / Follow-up Status**

	Technique	Follow-up Status:
Surgical VMMC		Within 14 days of surgery
Device-based VMMC		Within 14 days of device placement. May include device removal.
Sub-total	Subtotal	Subtotal

2.4 VMMC_CIRC - COP17/FY18 TARGET

DSD: VMMC_CIRC — Collapse

Required	Number of males circumcised as part of the voluntary medical male circumcision (VMMC) for HIV prevention program within the reporting period.
Numerator	
Required	**Disaggregated by Age**

<60 Days	2Mo-9Yr	10-14	15-19	20-24	25-29	30-49	50+

Sub-total	Subtotal
Required	**Disaggregated by Circumcision Technique**
Surgical VMMC	
Device-based VMMC	
Sub-total	Subtotal

3.1 KP_PREV Numerator – FY18 RESULT

DSD: KP_PREV (Numerator) - Collapse

Auto-Calculate	**Number of key populations reached with individual and/or small group-level HIV prevention interventions designed for the target population. Numerator will auto-calculate from the key population disaggregates.**
Numerator	Subtotal
Required	**Disaggregated by Key Population Type**
PWID	Female Male Subtotal
Sex workers	Female MSM TG Subtotal
Non Sex Workers	MSM TG Subtotal
People in prisons and other closed settings	
Required	**Disaggregated by Status / Key Population Type. To be completed in countries where the environment is safe to collect this information.**

	PWID	MSM	Transgender People	FSW	People in prison and other closed settings	Sub-totals
Known Positive						Subtotal
Newly tested and / or referred for testing						Subtotal
Declined testing and / or referral						Subtotal

3.2 KP_PREV Numerator – COP18/FY19 TARGET

DSD: KP_PREV (Numerator)	- Collapse
Auto-Calculate	**Number of key populations reached with individual and/or small group-level HIV prevention interventions designed for the target population. Numerator will auto-calculate from the key population disaggregates.**
Numerator	Subtotal
Required	**Disaggregated by Key Population Type**
PWID	Female Male Subtotal
Sex workers	Female MSM TG Subtotal
Non Sex Workers	MSM TG Subtotal
People in prisons and other closed settings	

3.3 KP_PREV Numerator - FY17 RESULT

DSD: KP_PREV (Numerator) — Collapse

Auto-Calculate Number of key populations reached with individual and/or small group-level HIV prevention interventions designed for the target population. Numerator will auto-calculate from the key population disaggregates.

Numerator [Subtotal]

Required **Disaggregated by Key Population Type**

PWID	Female	Male		Subtotal
Sex workers	Female	MSM	TG	Subtotal
Non Sex Workers		MSM	TG	Subtotal
People in prisons and other enclosed settings				

Optional **Disaggregated by Status / Key Population Type. To be completed in countries where the environment is safe to collect this information.**

	PWID	MSM	Transgender	FSW	People in prison and other enclosed settings	Sub-totals
Known Positive						Subtotal
Newly tested and / or referred for testing						Subtotal
Declined testing and / or referral						Subtotal

3.4 KP_PREV Numerator - COP17/FY18 TARGET

DSD: KP_PREV (Numerator) — Collapse

Auto-Calculate Number of key populations reached with individual and/or small group-level HIV prevention interventions designed for the target population. Numerator will auto-calculate from the key population disaggregates.

Numerator [Subtotal]

Required **Disaggregated by Key Population Type**

PWID	Female	Male		Subtotal
Sex workers	Female	MSM	TG	Subtotal
Non Sex Workers		MSM	TG	Subtotal
People in prisons and other enclosed settings				

3.5 KP_PREV Denominator – FY18 RESULT

DSD: KP_PREV (Denominator)	- Collapse
Optional	**Total estimated number of key populations in the catchment area. Disaggregated by Key Population Type. To be completed in countries where the environment is safe to collect this information.**
	Total
PWID	
MSM	
Transgender People	
FSW	
People in prison and other closed settings	

3.6 KP_PREV Denominator – COP18/FY19 TARGET

[No Denominator for COP18/FY19 TARGET]

3.7 KP_PREV Denominator – FY17 RESULT

DSD: KP_PREV (Denominator)	Collapse
Optional	Total estimated number of key populations in the catchment area. Disaggregated by Key Population Type. To be completed in countries where the environment is safe to collect this information.

	Total
PWID	
MSM	
Transgender	
FSW	
People in prison and other enclosed settings	

3.8 KP_PREV Denominator – COP17/FY18 TARGET

[no Denominator for COP17/FY18 TARGET]

4.1 PP_PREV Numerator – FY18 RESULT

DSD: PP_PREV (Numerator) - Collapse

Required — **Number of priority populations reached with standard HIV prevention intervention(s) that are evidence-based.**

Numerator

Required — **Disaggregated by Age / Sex (Fine Disaggregate)**

	10-14	15-19	20-24	25-49	50+	
Female						Subtotal
Male						Subtotal
Sub-total	Subtotal					

Optional — **Disaggregated by Status**

Known Positive	
Newly tested and/or referred for testing	
Declined testing and/or referral	
Sub-total	Subtotal

4.2 PP_PREV Numerator – COP18/FY19 TARGET

DSD: PP_PREV (Numerator) - Collapse

Required	Number of priority populations reached with standard HIV prevention intervention(s) that are evidence-based.

Numerator	

Required	Disaggregated by Age / Sex (Fine Disaggregate)

	10-14	15-19	20-24	25-29	30-34	35-39	40-49	50+	
Female									Subtotal
Male									Subtotal
Sub-total	Subtotal								

4.3 PP_PREV Numerator – FY17 RESULT

DSD: PP_PREV (Numerator) — Collapse

Required	Number of priority populations reached with standard HIV prevention intervention(s) that are evidence-based.
Numerator	
Required	**Disaggregated by Age / Sex (Fine Disaggregate)**

	10-14	15-19	20-24	25-49	50+	
Female						Subtotal
Male						Subtotal
Sub-total	Subtotal					

Optional	**Disaggregated by Status**
Known Positive	
Newly tested and/or referred for testing	
Declined testing and/or referral	
Sub-total	Subtotal

4.4 PP_PREV Numerator – COP17/FY18 TARGET

DSD: PP_PREV (Numerator) — Collapse

Required	Number of priority populations reached with standard HIV prevention intervention(s) that are evidence-based.

Numerator

Required	**Disaggregated by Age / Sex (Fine Disaggregate)**

	10-14	15-19	20-24	25-49	50+	
Female						Subtotal
Male						Subtotal
Sub-total	Subtotal					

4.5 PP_PREV Denominator – FY18 RESULT



4.6 PP_PREV Denominator – COP18/FY19 TARGET

[No Denominator for COP18/FY19 TARGET

4.7 PP_PREV Denominator – FY17 RESULT

DSD: PP_PREV (Denominator) — Collapse

Optional	Total estimated number of priority populations in the catchment area
Denominator	
Optional	**Disaggregated by Age / Sex (Fine Disaggregate)**

	10-14	15-19	20-24	25-49	50+	
Female						Subtotal
Male						Subtotal
Sub-total	Subtotal					

4.8 PP_PREV Denominator – COP17/FY18 TARGET

[No Denominator for COP17/FY18 TARGET]

5.1 TB_PREV Numerator – FY18 RESULT

DSD: TB_PREV (Numerator) - Collapse

Required	Number of ART patients who completed a course of TB preventive therapy during the reporting period (including those on prolonged or continuous IPT who have completed the first 6 months of Isoniazid Preventive Therapy (IPT)).

Numerator

Required	Disaggregated by Type of Preventive Therapy by ART Start.

	Newly enrolled on ART	Previously enrolled on ART
IPT		
Alternative TPT Regimen		
Sub-total	Subtotal	

Required	Disaggregated by Age / Sex (Coarse Disaggregate)

	<15	15+
Female		
Male		
Sub-total	Subtotal	

5.2 TB_PREV Numerator – COP18/FY19 TARGET

DSD: TB_PREV (Numerator) - Collapse

Required	Number of ART patients who completed a course of TB preventive therapy during the reporting period (including those on prolonged or continuous IPT who have completed the first 6 months of Isoniazid Preventive Therapy (IPT)).

Numerator

Required	Disaggregated by Type of Preventive Therapy by ART Start.

	Newly enrolled on ART	Previously enrolled on ART
IPT		
Alternative TPT Regimen		
Sub-total	Subtotal	

Required	Disaggregated by Age / Sex (Coarse Disaggregate)

	<15	15+
Female		
Male		
Sub-total	Subtotal	

5.3 TB_PREV Numerator – FY17 RESULT

DSD: TB_PREV (Numerator)	⊟ Collapse
Required	Number of ART patients who completed a course of TB preventive therapy during the reporting period (for continuous IPT programs, this includes the patients who have completed the first 6 months of isoniazid preventive therapy (IPT)).
Numerator	
Required	**Disaggregated by Type of Therapy**
Alternative regimen (e.g., 3 month INH and rifapentine)	
6-12 months IPT	
Continuous IPT	
Sub-total	Subtotal
Required	**Disaggregated by Age / Sex (Coarse Disaggregate)**
	<15 **15+**
Female	
Male	
Sub-total	Subtotal

5.4 TB_PREV Numerator – COP17/FY18 TARGET

DSD: TB_PREV (Numerator)			Collapse
Required	The number of ART patients who completed a course of TB preventive therapy or at least 6 months of Isoniazid Preventive Therapy (IPT) during the reporting period		
Numerator			
Required	**Disaggregated by Type of Therapy**		
6-12 months IPT			
Continuous IPT			
Alternative regimen (e.g., 3 month INH and rifapentine)			
Sub-total	Subtotal		
Required	**Disaggregated by Age / Sex (Coarse Disaggregate)**		
	<15	**15+**	
Female			
Male			
Sub-total	Subtotal		

5.5 TB_PREV Denominator – FY18 RESULT

DSD: TB_PREV (Denominator) - Collapse

Required — **Number of ART patients who are expected to complete a course of TB preventive therapy during the reporting period (for programs using continuous IPT, this includes only the patients who are scheduled to complete the first 6 months of therapy).**

Denominator

Required — **Disaggregated by Type of Preventive Therapy by ART Start.**

	Newly enrolled on ART	Previously enrolled on ART
IPT		
Alternative TPT Regimen		
Sub-total	Subtotal	

Required — **Disaggregated by Age / Sex (Coarse Disaggregate)**

	<15	15+
Female		
Male		
Sub-total	Subtotal	

5.6 TB_PREV Denominator – COP18/FY19 TARGET

DSD: TB_PREV (Denominator) - Collapse

Required — **Number of ART patients who are expected to complete a course of TB preventive therapy during the reporting period (for programs using continuous IPT, this includes only the patients who are scheduled to complete the first 6 months of therapy).**

Denominator

Required — **Disaggregated by Type of Preventive Therapy by ART Start.**

	Newly enrolled on ART	Previously enrolled on ART
IPT		
Alternative TPT Regimen		
Sub-total	Subtotal	

Required — **Disaggregated by Age / Sex (Coarse Disaggregate)**

	<15	**15+**
Female		
Male		
Sub-total	Subtotal	

5.7 TB_PREV Denominator – FY17 RESULT

DSD: TB_PREV (Denominator)			Collapse
Required	Number of ART patients who are expected to complete a course of TB preventive therapy during the reporting period (for programs using continuous IPT, this includes only the patients who are scheduled to complete the first 6 months of therapy).		
	Denominator		
Required	**Disaggregated by Type of Therapy**		
	Alternative regimen (e.g., 3 month INH and rifapentine)		
	6-12 months IPT		
	Continuous IPT		
	Sub-total	Subtotal	
Required	**Disaggregated by Age / Sex (Coarse Disaggregate)**		
		<15	**15+**
	Female		
	Male		
	Sub-total	Subtotal	

5.8 TB_PREV Denominator – COP17/FY18 TARGET

DSD: TB_PREV (Denominator)			Collapse
Required	The number of ART patients who were newly started on TB preventive therapy (including those who newly started on TB preventive therapy in this reporting period and those who started in the previous reporting period but had not been reported as they did not fulfill the minimum requirements for the previous reporting period.).		
Denominator			
Required	**Disaggregated by Type of Therapy**		
6-12 months IPT			
Continuous IPT			
Alternative regimen (e.g., 3 month INH and rifapentine)			
Sub-total	Subtotal		
Required	**Disaggregated by Age / Sex (Coarse Disaggregate)**		
	<15	**15+**	
Female			
Male			
Sub-total	Subtotal		

6.1 OVC_SERV – FY18 RESULT

*Please note – the OVC_SERV FY18 Result data entry screen may change before FY18Q2 data entry begins.



6.2 OVC_SERV – COP18/FY19 TARGET



6.3 OVC_SERV – FY17 RESULT



6.4 OVC_SERV – COP17/FY18 TARGET



7.1 KP_MAT – FY18 RESULT

DSD: KP_MAT	- Collapse
Auto-Calculate	Number of people who inject drugs (PWID) who are receiving medication assisted therapy (MAT). Numerator will auto-calculate from the sex disaggregates.
Numerator	Subtotal
Required	Disaggregated by Sex
Female	
Male	

7.2 KP_MAT – COP18/FY19 TARGET

DSD: KP_MAT	- Collapse
Auto-Calculate	Number of people who inject drugs (PWID) who are receiving medication assisted therapy (MAT). Numerator will auto-calculate from the sex disaggregates.
Numerator	Subtotal
Required	Disaggregated by Sex
Female	
Male	

7.3 KP_MAT – FY17 RESULT

DSD: KP_MAT	Collapse
Auto-Calculate	Number of people who inject drugs (PWID) who are receiving medication assisted therapy (MAT). Numerator will auto-calculate from the sex disaggregates.
Numerator	Subtotal
Required	**Disaggregated by Sex**
Female	
Male	
Unknown	

7.4 KP_MAT – COP17/FY18 TARGET

DSD: KP_MAT		Collapse
Auto-Calculate	Number of people who inject drugs (PWID) who are receiving medication assisted therapy (MAT). Numerator will auto-calculate from the sex disaggregates.	
Numerator	Subtotal	
Required	**Disaggregated by Sex**	
Female		
Male		
Unknown		

8.1 GEND_GBV – FY18 RESULT

DSD: GEND_GBV - Collapse

Required — Number of people receiving post-GBV care based on the minimum package.

Numerator

Auto-Calculate — Disaggregated by Violence Service Type. Violence Service Types will auto-calculate from their respective age / sex disaggregates.

Sexual Violence [Subtotal]

Physical and / or Emotional Violence [Subtotal]

Required — Disaggregated by Violence Service Type / Age / Sex

Sexual Violence	Unknown Age	<10	10-14	15-19	20-24	25-49	50+
Female							
Male							

Physical and / or Emotional Violence	Unknown Age	<10	10-14	15-19	20-24	25-49	50+
Female							
Male							

Required — Disaggregate of Sexual Violence

Number of people receiving PEP Service	Unknown Age	<10	10-14	15-19	20-24	25-29	50+
Female							
Male							

Sub-total [Subtotal]

8.2 GEND_GBV – COP18/FY19 TARGET

DSD: GEND_GBV - Collapse

Required	Number of people receiving post-GBV care based on the minimum package.
Numerator	

Required	Disaggregated by Violence Service Type.
SEXUAL Violence	
PHYSICAL and/or EMOTIONAL Violence	

Required	Disaggregate of Sexual Violence
Number of people receiving PEP Service	

Required — **Disaggregated by Violence Service Type / Age / Sex**

Sexual Violence

	Unknown Age	<10	10-14	15-19	20-24	25-29	30-34	35-39	40-49	50+
Female										
Male										

Physical and / or Emotional Violence

	Unknown Age	<10	10-14	15-19	20-24	25-29	30-34	35-39	40-49	50+
Female										
Male										

8.3 GEND_GBV – FY17 RESULT

DSD: GEND_GBV								⊖ Collapse
Required	Number of people receiving post-GBV care based on the minimum package.							
Numerator								
Auto-Calculate	**Disaggregated by Violence Service Type. Violence Service Types will auto-calculate from their respective age / sex disaggregates.**							
Sexual Violence	Subtotal							
Physical and / or Emotional Violence	Subtotal							
Required	Disaggregate of Sexual Violence							
Number of people receiving PEP Service								
Required	**Disaggregated by Violence Service Type / Age / Sex**							
Sexual Violence	Unknown	<10	10-14	15-19	20-24	25-49	50+	
Female								
Male								
Physical and / or Emotional Violence	Unknown	<10	10-14	15-19	20-24	25-49	50+	
Female								
Male								

8.4 GEND_GBV – COP17/FY18 TARGET

DSD: GEND_GBV								Collapse
Required	Number of people receiving post-GBV care based on the minimum package.							
Numerator								
Required	**Disaggregated by Violence Service Type.**							
SEXUAL Violence								
PHYSICAL and/or EMOTIONAL Violence								
Required	Disaggregate of Sexual Violence							
Number of people receiving PEP Service								
DREAMS Only	**Disaggregated by Violence Service Type / Age / Sex**							
Sexual Violence	Unknown	<10	10-14	15-19	20-24	25-49	50+	
Female								
Male								
Physical and / or Emotional Violence	Unknown	<10	10-14	15-19	20-24	25-49	50+	
Female								
Male								

9.1 FPINT_SITE – FY18 RESULT

*NO TARGETS

Other: FPINT_SITE	- Collapse
Required	Enter the number of service delivery points, supported by your organization, at this site that directly provide integrated voluntary family planning services.
Number of HIV Testing service delivery points.	
Number of Care and Treatment (includes Pediatric and Adolescent Care and Treatment) service delivery points.	
Number of Antenatal Care and/or Maternity service delivery points.	
Number of Priority Population Prevention service delivery points.	
Number of Key Populations service delivery points.	

[no COP18 TARGET data entry screen]

9.2 FPINT_SITE – FY17 RESULT

*NO TARGETS

Other: FPINT_SITE	- Collapse
Required	Enter the number of service delivery points, supported by your organization, at this site that directly provide integrated voluntary family planning services.
Number of HIV Testing service delivery points.	
Number of Care and Treatment (includes Pediatric and Adolescent Care and Treatment) service delivery points.	
Number of Antenatal Care and/or Maternity service delivery points.	
Number of Priority Population Prevention service delivery points.	
Number of Key Populations service delivery points.	

[no COP17 TARGET data entry screen]

9.3 FPINT_SITE_MIL [DoD ONLY] – FY18 RESULT

*NO TARGETS

Other: FPINT_SITE_MIL	- Collapse
Required	For the numerator value, enter the total number of PEPFAR-supported military sites that directly provide integrated voluntary family planning services.
Numerator	
Required	Enter the total number of service delivery points within PEPFAR-supported military sites that directly provide integrated voluntary family planning services.
Number of HIV Testing service delivery points.	
Number of Care and Treatment (includes Pediatric and Adolescent Care and Treatment) service delivery points.	
Number of Antenatal Care and/or Maternity service delivery points.	
Number of Priority Population Prevention service delivery points.	
Number of Key Populations service delivery points.	

[no COP18 TARGET data entry screen]

9.4 FPINT_SITE_MIL [DoD ONLY] – FY17 RESULT

*NO TARGETS

Other: FPINT_SITE_MIL	- Collapse
Required	For the numerator value, enter the total number of PEPFAR-supported military sites that directly provide integrated voluntary family planning services.
Numerator	
Required	Enter the total number of service delivery points within PEPFAR-supported military sites that directly provide integrated voluntary family planning services.
Number of HIV Testing service delivery points.	
Number of Care and Treatment (includes Pediatric and Adolescent Care and Treatment) service delivery points.	
Number of Antenatal Care and/or Maternity service delivery points.	
Number of Priority Population Prevention service delivery points.	
Number of Key Populations service delivery points.	

[no COP17 TARGET data entry screen]

PEPFAR
U.S. President's Emergency Plan for AIDS Relief

90 = KNOWING HIV STATUS

10.1 HTS_TST Numerator (Facility) – FY18 RESULTS

DSD: HTS_TST (Facility)			- Collapse
Required	Number of individuals who received HIV Testing Services (HTS) and received their test results.		
Numerator			
Optional	Disaggregated by key population type / Result: To be completed in countries where the environment is safe to collect this information. THIS IS NOT A MODALITY. Data should always be entered at modality type, and additionally for the key population disaggregate, if applicable.		
Category	Positive	Negative	Sub-total
PWID			Subtotal
MSM			Subtotal
Transgender People			Subtotal
FSW			Subtotal
People in prison and other closed settings			Subtotal

10.2 HTS_TST Numerator (Facility) - COP18/FY19 TARGET

DSD: HTS_TST (Facility) - Collapse

Required	Number of individuals who received HIV Testing Services (HTS) and received their test results.
Numerator	
Optional	Disaggregated by key population type / Result: To be completed in countries where the environment is safe to collect this information. THIS IS NOT A MODALITY. Data should always be entered at modality type, and additionally for the key population disaggregate, if applicable.

Category	Positive	Negative	Sub-total
PWID			Subtotal
MSM			Subtotal
Transgender People			Subtotal
FSW			Subtotal
People in prison and other closed settings			Subtotal

10.3 HTS_TST Numerator (Facility) – FY17 RESULTS

DSD: HTS_TST (Facility) — Collapse

Required — Number of individuals who received HIV Testing Services (HTS) and received their test results.

Numerator

Optional — **Disaggregated by key population type / Result: To be completed in countries where the environment is safe to collect this information.** THIS IS NOT A MODALITY. Data should always be entered at modality type, and additionally for the key population disaggregate, if applicable.

Category	Positive	Negative	Sub-total
PWID			Subtotal
MSM			Subtotal
Transgender People			Subtotal
FSW			Subtotal
People in prison and other closed settings			Subtotal

10.4 HTS_TST Numerator (Facility) - COP17/FY18 TARGET

DSD: HTS_TST (Facility) — Collapse

Required — Number of individuals who received HIV Testing Services (HTS) and received their test results.

Numerator	
Postive Results	

Optional — **Disaggregated by key population type / Result: To be completed in countries where the environment is safe to collect this information.** THIS IS NOT A MODALITY. Data should always be entered at modality type, and additionally for the key population disaggregate, if applicable.

Category	Positive	Negative	Sub-total
PWID			Subtotal
MSM			Subtotal
Transgender People			Subtotal
FSW			Subtotal
People in prison and other closed settings			Subtotal

10.5 HTS_TST (Facility) PITC Inpatient Services– FY18 RESULTS

DSD: HTS_TST (Facility) - PITC Modality: Inpatient Services - Collapse

Required — PITC Inpatient Services Disaggregated by Age / Sex / Result (Fine Disaggregate)

	Unknown Age		Under 10		10-14		15-19		20-24		25-49		50+	
	F	M	<1	1-9	F	M	F	M	F	M	F	M	F	M
Positive														
Negative														
Sub-total	Subtotal													

Conditional — PITC Inpatient Services Disaggregated by Age / Sex / Result (Coarse Disaggregate) - USE WITH HQ PERMISSION ONLY — Collapse

	Unknown Age		<15		15+	
	F	M	F	M	F	M
Positive						
Negative						
Sub-total	Subtotal					

10.6 HTS_TST (Facility) PITC Inpatient Services – COP18/FY19 TARGET

DSD: HTS_TST (Facility) - PITC Modality: Inpatient - Collapse

Required | **PITC Inpatient Services Disaggregated by Age / Sex / Result (Fine Disaggregate)**

	Unknown Age		Under 10		10-14		15-19		20-24	
	F	M	<1	1-9	F	M	F	M	F	M
Positive										
Negative										

	25-29		30-34		35-39		40-49		50+	
	F	M	F	M	F	M	F	M	F	M
Positive										
Negative										

Sub-total Subtotal

10.7 HTS_TST (Facility) PITC Inpatient Services – FY17 RESULTS

DSD: HTS_TST (Facility) - PITC Inpatient Services ⊟ Collapse

Required — **PITC Inpatient Services Disaggregated by Age / Sex / Result (Fine Disaggregate)**

	Unknown Age		Under 10		10-14		15-19		20-24		25-49		50+	
	F	M	<1	1-9	F	M	F	M	F	M	F	M	F	M
Positive														
Negative														
Sub-total	Subtotal													

Conditional — **PITC Inpatient Services Disaggregated by Age / Sex / Result (Coarse Disaggregate) - USE WITH HQ PERMISSION ONLY** ⊟ Collapse

	Unknown Age		<15		15+	
	F	M	F	M	F	M
Positive						
Negative						
Sub-total	Subtotal					

10.8 HTS_TST (Facility) PITC Inpatient Services – COP17/FY18 TARGET

DSD: HTS_TST (Facility) - PITC Inpatient Services — Collapse

DREAMS Only — **PITC Inpatient Services Disaggregated by Age / Sex / Result (DREAMS Only)**

	Unknown Age		Under 10		10-14		15-19		20-24		25-49		50+	
	F	M	<1	1-9	F	M	F	M	F	M	F	M	F	M
Positive														
Negative														
Sub-total	Subtotal													

Required — **PITC Inpatient Services Disaggregated by Age / Sex / Result (Coarse Disaggregate)**

	Unknown Age		<15		15+	
	F	M	F	M	F	M
Positive						
Negative						
Sub-total	Subtotal					

10.9 HTS_TST (Facility) PITC Pediatric Services – FY18 RESULT

DSD: HTS_TST (Facility) - PITC Modality: Pediatric Services	- Collapse
Required	PITC Pediatric Services (Under 5 or EPI) Disaggregated by Age / Result
Positive <5	
Negative <5	
Sub-total	Subtotal

10.10 HTS_TST (Facility) PITC Pediatric Services – COP18/FY19 TARGET

DSD: HTS_TST (Facility) - PITC Modality: Pediatric Services	- Collapse
Required	PITC Pediatric Services (Under 5 or EPI) Disaggregated by Age / Result
Positive <5	
Negative <5	
Sub-total	Subtotal

10.11 HTS_TST (Facility) PITC Pediatric Services – FY17 RESULT

DSD: HTS_TST (Facility) - PITC Pediatric Services		Collapse
Required	PITC Pediatric Services (Under 5 or EPI) Disaggregated by Age / Result	
Positive <5		
Negative <5		
Sub-total	Subtotal	

10.12 HTS_TST (Facility) PITC Pediatric Services – COP17/FY18 TARGET

DSD: HTS_TST (Facility) - PITC Pediatric Services		Collapse
Required	PITC Pediatric Services (Under 5 or EPI) Disaggregated by Age / Result	
Positive <5		
Negative <5		
Sub-total	Subtotal	

10.13 HTS_TST (Facility) PITC Malnutrition Clinics – FY18 RESULT

DSD: HTS_TST (Facility) - PITC Modality: Malnutrition Clinics	- Collapse
Required	PITC Malnutrition Clinics Disaggregated by Age / Result
Positive <5	
Negative <5	
Sub-total	Subtotal

10.14 HTS_TST (Facility) PITC Malnutrition Clinics – COP18/FY19 TARGET

DSD: HTS_TST (Facility) - PITC Modality: Malnutrition Clinics	- Collapse
Required	PITC Malnutrition Clinics Disaggregated by Age / Result
Positive <5	
Negative <5	
Sub-total	Subtotal

10.15 HTS_TST (Facility) PITC Malnutrition Clinics – FY17 RESULT

DSD: HTS_TST (Facility) - PITC Malnutrition Clinics	⊖ Collapse
Required	PITC Malnutrition Clinics Disaggregated by Age / Result
Positive <5	
Negative <5	
Sub-total	Subtotal

10.16 HTS_TST (Facility) PITC Malnutrition Clinics – COP17/FY18 TARGET

DSD: HTS_TST (Facility) - PITC Malnutrition Clinics		Collapse
Required	PITC Malnutrition Clinics Disaggregated by Age / Result	
Positive <5		
Negative <5		
Sub-total	Subtotal	

10.17 HTS_TST (Facility) PITC TB Clinics – FY18 RESULT

DSD: HTS_TST (Facility) - PITC Modality: TB Clinics - Collapse

Required — PITC TB Clinics Disaggregated by Age / Sex / Result (Fine Disaggregate)

	Unknown Age		Under 10		10-14		15-19		20-24		25-49		50+	
	F	M	<1	1-9	F	M	F	M	F	M	F	M	F	M
Positive														
Negative														
Sub-total	Subtotal													

Conditional — PITC TB Clinics Disaggregated by Age / Sex / Result (Coarse Disaggregate) - USE WITH HQ PERMISSION ONLY — Collapse

	Unknown Age		<15		15+	
	F	M	F	M	F	M
Positive						
Negative						
Sub-total	Subtotal					

10.18 HTS_TST (Facility) PITC TB Clinics – COP18/FY19 TARGET

DSD: HTS_TST (Facility) - PITC Modality: TB Clinics - Collapse

Required | **PITC TB Clinics Disaggregated by Age / Sex / Result (Fine Disaggregate)**

	Unknown Age		Under 10		10-14		15-19		20-24	
	F	M	<1	1-9	F	M	F	M	F	M
Positive										
Negative										

	25-29		30-34		35-39		40-49		50+	
	F	M	F	M	F	M	F	M	F	M
Positive										
Negative										

Sub-total Subtotal

10.19 HTS_TST (Facility) PITC TB Clinics – FY17 RESULT

DSD: HTS_TST (Facility) - PITC - TB Clinics ⊟ Collapse

Required **PITC TB Clinics Disaggregated by Age / Sex / Result (Fine Disaggregate)**

	Unknown Age		Under 10		10-14		15-19		20-24		25-49		50+	
	F	M	<1	1-9	F	M	F	M	F	M	F	M	F	M
Positive														
Negative														
Sub-total	Subtotal													

Conditional **PITC TB Clinics Disaggregated by Age / Sex / Result (Coarse Disaggregate) - USE WITH HQ PERMISSION ONLY** ⊟ Collapse

	Unknown Age		<15		15+	
	F	M	F	M	F	M
Positive						
Negative						
Sub-total	Subtotal					

10.20 HTS_TST (Facility) PITC TB Clinics – COP17/FY18 TARGET

DSD: HTS_TST (Facility) - PITC - TB Clinics — Collapse

DREAMS Only — PITC TB Clinics Disaggregated by Age / Sex / Result (DREAMS Only)

	Unknown Age		Under 10		10-14		15-19		20-24		25-49		50+	
	F	M	<1	1-9	F	M	F	M	F	M	F	M	F	M
Positive														
Negative														
Sub-total	Subtotal													

Required — PITC TB Clinics Disaggregated by Age / Sex / Result (Coarse Disaggregate)

	Unknown Age		<15		15+	
	F	M	F	M	F	M
Positive						
Negative						
Sub-total	Subtotal					

10.21 HTS_TST (Facility) PITC PMTCT ANC Only – FY18 RESULT

DSD: HTS_TST (Facility) - PITC Modality: PMTCT (ANC Only) Clinics - Collapse

Required	PITC PMTCT (ANC only) Clinics Disaggregated by Age / Result (Fine Disaggregate)							
	Unknown	<1	1-9	10-14	15-19	20-24	25-49	50+
Positive								
Negative								
Sub-total	Subtotal							

Conditional	PITC PMTCT (ANC only) Clinics Disaggregated by Age / Result (Coarse Disaggregate) - USE WITH HQ PERMISSION ONLY			Collapse
	Unknown	<15	15+	
Positive				
Negative				
Sub-total	Subtotal			

10.22 HTS_TST (Facility) PITC PMTCT ANC Only – COP18/FY19 TARGET

DSD: HTS_TST (Facility) - PITC Modality: PMTCT ANC Only - Collapse

Required	PITC PMTCT (ANC only) Clinics Disaggregated by Age / Result (Fine Disaggregate)										
	Unknown	<1	1-9	10-14	15-19	20-24	25-29	30-34	35-39	40-49	50+
Positive											
Negative											
Sub-total	Subtotal										

10.23 HTS_TST (Facility) PITC PMTCT ANC Only – FY17 RESULT

DSD: HTS_TST (Facility) - PITC PMTCT (ANC Only) Clinics — Collapse

Required — **PITC PMTCT (ANC only) Clinics Disaggregated by Age / Result (Fine Disaggregate)**

	Unknown Female	<1 Female	1-9 Female	10-14 Female	15-19 Female	20-24 Female	25-49 Female	50+ Female
Positive								
Negative								
Sub-total	Subtotal							

Conditional — **PITC PMTCT (ANC only) Clinics Disaggregated by Age / Result (Coarse Disaggregate) - USE WITH HQ PERMISSION ONLY** — Collapse

	Unknown Female	<15 Female	15+ Female
Positive			
Negative			
Sub-total	Subtotal		

10.24 HTS_TST (Facility) PITC PMTCT ANC Only – COP17/FY18 TARGET

DSD: HTS_TST (Facility) - PITC PMTCT (ANC Only) Clinics — Collapse

DREAMS Only — **PITC PMTCT (ANC only) Clinics Disaggregated by Age / Result (DREAMS Only)**

	Unknown Female	<1 Female	1-9 Female	10-14 Female	15-19 Female	20-24 Female	25-49 Female	50+ Female
Positive								
Negative								
Sub-total	Subtotal							

Required — **PITC PMTCT (ANC only) Clinics Disaggregated by Age / Result (Coarse Disaggregate)**

	Unknown Female	<15 Female	15+ Female
Positive			
Negative			
Sub-total	Subtotal		

10.25 HTS_TST (Facility) PITC VMMC Services – FY18 RESULT

DSD: HTS_TST (Facility) - PITC Modality: VMMC Services - Collapse

Required	PITC VMMC Services Disaggregated by Age / Result (Fine Disaggregate)							
	Unknown	<1	1-9	10-14	15-19	20-24	25-49	50+
Positive								
Negative								
Sub-total	Subtotal							

Conditional	PITC VMMC Services Disaggregated by Age / Result (Coarse Disaggregate) - USE WITH HQ PERMISSION ONLY			Collapse
	Unknown	<15	15+	
Positive				
Negative				
Sub-total	Subtotal			

10.26 HTS_TST (Facility) PITC VMMC Services – COP18/FY19 TARGET

DSD: HTS_TST (Facility) - PITC Modality: VMMC Services - Collapse

Required	PITC VMMC Services Disaggregated by Age / Result (Fine Disaggregate)										
	Unknown	<1	1-9	10-14	15-19	20-24	25-29	30-34	35-39	40-49	50+
Positive											
Negative											
Sub-total	Subtotal										

10.27 HTS_TST (Facility) PITC VMMC Services – FY17 RESULT

DSD: HTS_TST (Facility) - VMMC Services — Collapse

Required — **PITC VMMC Services Disaggregated by Age / Result (Fine Disaggregate)**

	Unknown Male	<1 Male	1-9 Male	10-14 Male	15-19 Male	20-24 Male	25-49 Male	50+ Male
Positive								
Negative								
Sub-total	Subtotal							

Conditional — **PITC VMMC Services Disaggregated by Age / Result (Coarse Disaggregate) - USE WITH HQ PERMISSION ONLY** — Collapse

	Unknown Male	<15 Male	15+ Male
Positive			
Negative			
Sub-total	Subtotal		

10.28 HTS_TST (Facility) PITC VMMC Services – COP17/FY18 TARGET

DSD: HTS_TST (Facility) - VMMC Services — Collapse

DREAMS Only — **PITC VMMC Services Disaggregated by Age / Result (DREAMS Only)**

	Unknown Male	<1 Male	1-9 Male	10-14 Male	15-19 Male	20-24 Male	25-49 Male	50+ Male
Positive								
Negative								
Sub-total	Subtotal							

Required — **PITC VMMC Services Disaggregated by Age / Result (Coarse Disaggregate)**

	Unknown Male	<15 Male	15+ Male
Positive			
Negative			
Sub-total	Subtotal		

10.29 HTS_TST (Facility) PITC STI Clinic – FY18 RESULT

DSD: HTS_TST (Facility) - PITC Modality: STI Clinic - Collapse

Required — **STI Clinic Disaggregated by Age / Result (Fine Disaggregate)**

	Unknown Age		Under 10		10-14		15-19		20-24		25-49		50+	
	F	M	<1	1-9	F	M	F	M	F	M	F	M	F	M
Positive														
Negative														
Sub-total	Subtotal													

Conditional — **STI Clinic Disaggregated by Age / Result (Coarse Disaggregate) - USE WITH HQ PERMISSION ONLY** — Collapse

	Unknown Age		<15		15+	
	F	M	F	M	F	M
Positive						
Negative						
Sub-total	Subtotal					

[This is a NEW Modality for FY18 RESULTS.]

10.30 HTS_TST (Facility) PITC STI Clinic – COP18/FY19 TARGET

DSD: HTS_TST (Facility) - PITC Modality: STI Clinic - Collapse

Required | **PITC STI Clinic Disaggregated by Age / Result (Fine Disaggregate)**

	Unknown Age		Under 10		10-14		15-19		20-24	
	F	M	<1	1-9	F	M	F	M	F	M
Positive										
Negative										

	25-29		30-34		35-39		40-49		50+	
	F	M	F	M	F	M	F	M	F	M
Positive										
Negative										
Sub-total	Subtotal									

[This is a NEW Modality for COP18/FY19 TARGETS]

10.31 HTS_TST (Facility) PITC Emergency Ward – FY18 RESULT

DSD: HTS_TST (Facility) - PITC Modality: Emergency Ward - Collapse

Required — Emergency Ward Disaggregated by Age / Result (Fine Disaggregate)

	Unknown Age		Under 10		10-14		15-19		20-24		25-49		50+	
	F	M	<1	1-9	F	M	F	M	F	M	F	M	F	M
Positive														
Negative														
Sub-total	Subtotal													

Conditional — Emergency Ward Disaggregated by Age / Result (Coarse Disaggregate) - USE WITH HQ PERMISSION ONLY — Collapse

	Unknown Age		<15		15+	
	F	M	F	M	F	M
Positive						
Negative						
Sub-total	Subtotal					

[This is a NEW Modality for FY18 RESULTS.]

PEPFAR
U.S. President's Emergency Plan for AIDS Relief

10.32 HTS_TST (Facility) PITC Emergency Ward – COP18/FY19 TARGET

DSD: HTS_TST (Facility) - PITC Modality: Emergency Ward - Collapse

Required | **PITC Emergency Ward Disaggregated by Age / Result (Fine Disaggregate)**

	Unknown Age		Under 10		10-14		15-19		20-24	
	F	M	<1	1-9	F	M	F	M	F	M
Positive										
Negative										

	25-29		30-34		35-39		40-49		50+	
	F	M	F	M	F	M	F	M	F	M
Positive										
Negative										

Sub-total Subtotal

[This is a NEW Modality for COP18/FY19 TARGETS]

10.33 HTS_TST (Facility) PITC Other – FY18 RESULT

DSD: HTS_TST (Facility) - PITC Modality: Other PITC - Collapse

Required — **Other PITC Disaggregated by Age / Sex / Result (Fine Disaggregate)**

	Unknown Age		Under 10		10-14		15-19		20-24		25-49		50+	
	F	M	<1	1-9	F	M	F	M	F	M	F	M	F	M
Positive														
Negative														
Sub-total	Subtotal													

Conditional — **Other PITC Disaggregated by Age / Sex / Result (Coarse Disaggregate) - USE WITH HQ PERMISSION ONLY** — Collapse

	Unknown Age		<15		15+	
	F	M	F	M	F	M
Positive						
Negative						
Sub-total	Subtotal					

10.34 HTS_TST (Facility) PITC Other – COP18/FY19 TARGET

DSD: HTS_TST (Facility) - PITC Modality: Other PITC - Collapse

Required | **Other PITC Disaggregated by Age / Sex / Result (Fine Disaggregate)**

	Unknown Age		Under 10		10-14		15-19		20-24	
	F	M	<1	1-9	F	M	F	M	F	M
Positive										
Negative										

	25-29		30-34		35-39		40-49		50+	
	F	M	F	M	F	M	F	M	F	M
Positive										
Negative										

Sub-total Subtotal

10.35 HTS_TST (Facility) PITC Other – FY17 RESULT

DSD: HTS_TST (Facility) - Other PITC ⊟ Collapse

Required **Other PITC Disaggregated by Age / Sex / Result (Fine Disaggregate)**

	Unknown Age		Under 10		10-14		15-19		20-24		25-49		50+	
	F	M	<1	1-9	F	M	F	M	F	M	F	M	F	M
Positive														
Negative														
Sub-total	Subtotal													

Conditional **Other PITC Disaggregated by Age / Sex / Result (Coarse Disaggregate) - USE WITH HQ PERMISSION ONLY** ⊟ Collapse

	Unknown Age		<15		15+	
	F	M	F	M	F	M
Positive						
Negative						
Sub-total	Subtotal					

10.36 HTS_TST (Facility) PITC Other – COP17/FY18 TARGET

DSD: HTS_TST (Facility) - Other PITC — Collapse

DREAMS Only — **Other PITC Disaggregated by Age / Sex / Result (DREAMS Only)**

	Unknown Age		Under 10		10-14		15-19		20-24		25-49		50+	
	F	M	<1	1-9	F	M	F	M	F	M	F	M	F	M
Positive														
Negative														
Sub-total	Subtotal													

Required — **Other PITC Disaggregated by Age / Sex / Result (Coarse Disaggregate)**

	Unknown Age		<15		15+	
	F	M	F	M	F	M
Positive						
Negative						
Sub-total	Subtotal					

10.37 HTS_TST (Facility) VCT – FY18 RESULT

DSD: HTS_TST (Facility) - VCT - Collapse

Required — VCT Disaggregated by Age / Sex / Result (Fine Disaggregate)

	Unknown Age		Under 10				10-14		15-19		20-24		25-49		50+	
	F	M	<1	1-9	F	M	F	M	F	M	F	M	F	M	F	M
Positive																
Negative																
Sub-total	Subtotal															

Conditional — VCT Disaggregated by Age / Sex / Result (Coarse Disaggregate) - USE WITH HQ PERMISSION ONLY — Collapse

	Unknown Age		<15		15+	
	F	M	F	M	F	M
Positive						
Negative						
Sub-total	Subtotal					

10.38 HTS_TST (Facility) VCT – COP18/FY19 TARGET

DSD: HTS_TST (Facility) - VCT - Collapse

Required | **VCT Disaggregated by Age / Sex / Result (Fine Disaggregate)**

	Unknown Age		Under 10		10-14		15-19		20-24	
	F	M	<1	1-9	F	M	F	M	F	M
Positive										
Negative										

	25-29		30-34		35-39		40-49		50+	
	F	M	F	M	F	M	F	M	F	M
Positive										
Negative										

Sub-total Subtotal

10.39 HTS_TST (Facility) VCT – FY17 RESULT

DSD: HTS_TST (Facility) - VCT ⊟ Collapse

Required **VCT Disaggregated by Age / Sex / Result (Fine Disaggregate)**

	Unknown Age		Under 10		10-14		15-19		20-24		25-49		50+	
	F	M	<1	1-9	F	M	F	M	F	M	F	M	F	M
Positive														
Negative														
Sub-total	Subtotal													

Conditional **VCT Disaggregated by Age / Sex / Result (Coarse Disaggregate) - USE WITH HQ PERMISSION ONLY** ⊟ Collapse

	Unknown Age		<15		15+	
	F	M	F	M	F	M
Positive						
Negative						
Sub-total	Subtotal					

10.40 HTS_TST (Facility) VCT – COP17/FY18 TARGET

DSD: HTS_TST (Facility) - VCT — Collapse

DREAMS Only — **VCT Disaggregated by Age / Sex / Result (DREAMS Only)**

	Unknown Age		Under 10		10-14		15-19		20-24		25-49		50+	
	F	M	<1	1-9	F	M	F	M	F	M	F	M	F	M
Positive														
Negative														
Sub-total	Subtotal													

Required — **VCT Disaggregated by Age / Sex / Result (Coarse Disaggregate)**

	Unknown Age		<15		15+	
	F	M	F	M	F	M
Positive						
Negative						
Sub-total	Subtotal					

10.41 HTS_TST (Facility) Index Testing – FY18 RESULT

DSD: HTS_TST (Facility) - Index Testing - Collapse

Required — All Index Case Testing Disaggregated by Age / Sex / Result (Fine Disaggregate)

	Unknown Age		Under 10		10-14		15-19		20-24		25-49		50+	
	F	M	<1	1-9	F	M	F	M	F	M	F	M	F	M
Positive														
Negative														
Sub-total	Subtotal													

Conditional — All Index Case Testing Disaggregated by Age / Sex / Result (Coarse Disaggregate) - USE WITH HQ PERMISSION ONLY — Collapse

	Unknown Age		<15		15+	
	F	M	F	M	F	M
Positive						
Negative						
Sub-total	Subtotal					

10.42 HTS_TST (Facility) Index Testing – COP18/FY19 TARGET

DSD: HTS_TST (Facility) - Index Testing - Collapse

Required | **All Index Case Testing Disaggregated by Age / Sex / Result (Fine Disaggregate)**

	Unknown Age		Under 10		10-14		15-19		20-24	
	F	M	<1	1-9	F	M	F	M	F	M
Positive										
Negative										

	25-29		30-34		35-39		40-49		50+	
	F	M	F	M	F	M	F	M	F	M
Positive										
Negative										

Sub-total Subtotal

10.43 HTS_TST (Facility) Index Testing – FY17 RESULT

DSD: HTS_TST (Facility) - Index Testing — Collapse

Required — **All Index Case Testing Disaggregated by Age / Sex / Result (Fine Disaggregate)**

	Unknown Age		Under 10				10-14		15-19		20-24		25-49		50+	
	F	M	<1	1-9	F	M	F	M	F	M	F	M	F	M	F	M
Positive																
Negative																
Sub-total	Subtotal															

Conditional — **All Index Case Testing Disaggregated by Age / Sex / Result (Coarse Disaggregate) - USE WITH HQ PERMISSION ONLY** — Collapse

	Unknown Age		<15		15+	
	F	M	F	M	F	M
Positive						
Negative						
Sub-total	Subtotal					

10.44 HTS_TST (Facility) Index Testing – COP17/FY18 TARGET

DSD: HTS_TST (Facility) - Index Testing — Collapse

DREAMS Only — **All Index Case Testing Disaggregated by Age / Sex / Result (DREAMS Only)**

	Unknown Age		Under 10		10-14		15-19		20-24		25-49		50+	
	F	M	<1	1-9	F	M	F	M	F	M	F	M	F	M
Positive														
Negative														
Sub-total	Subtotal													

Required — **All Index Case Testing Disaggregated by Age / Sex / Result (Coarse Disaggregate)**

	Unknown Age		<15		15+	
	F	M	F	M	F	M
Positive						
Negative						
Sub-total	Subtotal					

10.45 HTS_TST (Community) Numerator – FY18 RESULT

DSD: HTS_TST (Community) - Collapse			
Required	Number of individuals who received HIV Testing Services (HTS) and received their test results.		
Numerator			
Optional	Disaggregated by key population type / Result: To be completed in countries where the environment is safe to collect this information. THIS IS NOT A MODALITY. Data should always be entered at modality type, and additionally for the key population disaggregate, if applicable.		
Category	Positive	Negative	Sub-total
PWID			Subtotal
MSM			Subtotal
Transgender People			Subtotal
FSW			Subtotal
People in prison and other closed settings			Subtotal

10.46 HTS_TST (Community) Numerator – COP18/FY19 TARGET

DSD: HTS_TST (Community)			- Collapse
Required	Number of individuals who received HIV Testing Services (HTS) and received their test results.		
Numerator			
Optional	Disaggregated by key population type / Result: To be completed in countries where the environment is safe to collect this information. THIS IS NOT A MODALITY. Data should always be entered at modality type, and additionally for the key population disaggregate, if applicable.		
Category	Positive	Negative	Sub-total
PWID			Subtotal
MSM			Subtotal
Transgender People			Subtotal
FSW			Subtotal
People in prison and other closed settings			Subtotal

10.47 HTS_TST (Community) Numerator – FY17 RESULT

DSD: HTS_TST (Community) ⊖ Collapse

Required Number of individuals who received HIV Testing Services (HTS) and received their test results.

Numerator

Optional **Disaggregated by key population type / Result: To be completed in countries where the environment is safe to collect this information.** THIS IS NOT A MODALITY. Data should always be entered at modality type, and additionally for the key population disaggregate, if applicable.

Category	Positive	Negative	Sub-total
PWID			Subtotal
MSM			Subtotal
Transgender People			Subtotal
FSW			Subtotal
People in prison and other closed settings			Subtotal

10.48 HTS_TST (Community) Numerator – COP17/FY18 TARGET

DSD: HTS_TST (Community) — Collapse

Required — Number of individuals who received HIV Testing Services (HTS) and received their test results.

Numerator	
Postive Results	

Optional — **Disaggregated by key population type / Result: To be completed in countries where the environment is safe to collect this information.** THIS IS NOT A MODALITY. Data should always be entered at modality type, and additionally for the key population disaggregate, if applicable.

Category	Positive	Negative	Sub-total
PWID			Subtotal
MSM			Subtotal
Transgender People			Subtotal
FSW			Subtotal
People in prison and other closed settings			Subtotal

10.49 HTS_TST (Community) Index Service – FY18 RESULT

DSD: HTS_TST (Community) - Index Service Modality - Collapse

Required — Index Service Modality Disaggregated by Age / Sex / Result (Fine Disaggregate)

	Unknown Age		Under 10		10-14		15-19		20-24		25-49		50+	
	F	M	<1	1-9	F	M	F	M	F	M	F	M	F	M
Positive														
Negative														
Sub-total	Subtotal													

Conditional — Index Service Modality Disaggregated by Age / Sex / Result (Coarse Disaggregate) - USE WITH HQ PERMISSION ONLY — Collapse

	Unknown Age		<15		15+	
	F	M	F	M	F	M
Positive						
Negative						
Sub-total	Subtotal					

10.50 HTS_TST (Community) Index Service – COP18/FY19 TARGET

DSD: HTS_TST (Community) - Index Service Modality - Collapse

Required | **Index Service Modality Disaggregated by Age / Sex / Result (Fine Disaggregate)**

	Unknown Age		Under 10		10-14		15-19		20-24	
	F	M	<1	1-9	F	M	F	M	F	M
Positive										
Negative										

	25-29		30-34		35-39		40-49		50+	
	F	M	F	M	F	M	F	M	F	M
Positive										
Negative										

Sub-total Subtotal

10.51 HTS_TST (Community) Index Service– FY17 RESULT

DSD: HTS_TST (Community) - Index Service Modality — Collapse

Required — **Index Service Modality Disaggregated by Age / Sex / Result (Fine Disaggregate)**

	Unknown Age		Under 10		10-14		15-19		20-24		25-49		50+	
	F	M	<1	1-9	F	M	F	M	F	M	F	M	F	M
Positive														
Negative														
Sub-total	Subtotal													

Conditional — **Index Service Modality Disaggregated by Age / Sex / Result (Coarse Disaggregate) - USE WITH HQ PERMISSION ONLY** — Collapse

	Unknown Age		<15		15+	
	F	M	F	M	F	M
Positive						
Negative						
Sub-total	Subtotal					

10.52 HTS_TST (Community) Index Service – COP17/FY18 TARGET

DSD: HTS_TST (Community) - Index Service Modality — Collapse

DREAMS Only — **Index Service Modality Disaggregated by Age / Sex / Result (DREAMS Only)**

	Unknown Age		Under 10		10-14		15-19		20-24		25-49		50+	
	F	M	<1	1-9	F	M	F	M	F	M	F	M	F	M
Positive														
Negative														
Sub-total	Subtotal													

Required — **Index Service Modality Disaggregated by Age / Sex / Result (Coarse Disaggregate)**

	Unknown Age		<15		15+	
	F	M	F	M	F	M
Positive						
Negative						
Sub-total	Subtotal					

10.53 HTS_TST (Community) Home-Based – FY17 RESULT

[The Home-Based Modality was deprecated for FY18 RESULTS]

DSD: HTS_TST (Community) - Home-based Service Modality — Collapse

Required — Home-based Service Modality Disaggregated by Age / Sex / Result (Fine Disaggregate) Do not report Index Testing here.

	Unknown Age		Under 10		10-14		15-19		20-24		25-49		50+	
	F	M	<1	1-9	F	M	F	M	F	M	F	M	F	M
Positive														
Negative														
Sub-total	Subtotal													

Conditional — Home-based Service Modality Disaggregated by Age / Sex / Result (Coarse Disaggregate) - USE WITH HQ PERMISSION ONLY Do not report Index Testing here. — Collapse

	Unknown Age		<15		15+	
	F	M	F	M	F	M
Positive						
Negative						
Sub-total	Subtotal					

[The Home-Based Modality was deprecated for FY18 RESULTS]

10.54 HTS_TST (Community) Home-Based – COP17/FY18 TARGET

[The Home-Based Modality was deprecated for COP18/FY19 TARGET]

DSD: HTS_TST (Community) - Home-based Service Modality — Collapse

DREAMS Only — Home-based Service Modality Disaggregated by Age / Sex / Result (DREAMS Only) Do not report Index Testing here.

	Unknown Age		Under 10		10-14		15-19		20-24		25-49		50+	
	F	M	<1	1-9	F	M	F	M	F	M	F	M	F	M
Positive														
Negative														
Sub-total	Subtotal													

Required — Home-based Service Modality Disaggregated by Age / Sex / Result (Coarse Disaggregate) Do not report Index Testing here.

	Unknown Age		<15		15+	
	F	M	F	M	F	M
Positive						
Negative						
Sub-total	Subtotal					

[The Home-Based Modality was deprecated for COP18/FY19 TARGET]

PEPFAR
U.S. President's Emergency Plan for AIDS Relief

10.55 HTS_TST (Community) Mobile Service – FY18 RESULT

DSD: HTS_TST (Community) - Mobile Service Modality - Collapse

Required — **Mobile Service Modality Disaggregated by Age / Sex / Result (Fine Disaggregate)** Do not report Index Testing here.

	Unknown Age		Under 10		10-14		15-19		20-24		25-49		50+	
	F	M	<1	1-9	F	M	F	M	F	M	F	M	F	M
Positive														
Negative														
Sub-total	Subtotal													

Conditional — **Mobile Service Modality Disaggregated by Age / Sex / Result (Coarse Disaggregate) - USE WITH HQ PERMISSION ONLY** Do not report Index Testing here. Collapse

	Unknown Age		<15		15+	
	F	M	F	M	F	M
Positive						
Negative						
Sub-total	Subtotal					

10.56 HTS_TST (Community) Mobile Service – COP18/FY19 TARGET

DSD: HTS_TST (Community) - Mobile Service Modality - Collapse

Required | **Mobile Service Modality Disaggregated by Age / Sex / Result (Fine Disaggregate)** Do not report Index Testing here.

	Unknown Age		Under 10		10-14		15-19		20-24	
	F	M	<1	1-9	F	M	F	M	F	M
Positive										
Negative										

	25-29		30-34		35-39		40-49		50+	
	F	M	F	M	F	M	F	M	F	M
Positive										
Negative										

Sub-total Subtotal

10.57 HTS_TST (Community) Mobile Service – FY17 RESULT

DSD: HTS_TST (Community) - Mobile Service Modality — Collapse

Required — Mobile Service Modality Disaggregated by Age / Sex / Result (Fine Disaggregate) Do not report Index Testing here.

	Unknown Age		Under 10		10-14		15-19		20-24		25-49		50+	
	F	M	<1	1-9	F	M	F	M	F	M	F	M	F	M
Positive														
Negative														
Sub-total	Subtotal													

Conditional — Mobile Service Modality Disaggregated by Age / Sex / Result (Coarse Disaggregate) - USE WITH HQ PERMISSION ONLY Do not report Index Testing here. — Collapse

	Unknown Age		<15		15+	
	F	M	F	M	F	M
Positive						
Negative						
Sub-total	Subtotal					

10.58 HTS_TST (Community) Mobile Service – COP17/FY18 TARGET

DSD: HTS_TST (Community) - Mobile Service Modality — Collapse

DREAMS Only — **Mobile Service Modality Disaggregated by Age / Sex / Result (DREAMS Only)** Do not report Index Testing here.

	Unknown Age		Under 10		10-14		15-19		20-24		25-49		50+	
	F	M	<1	1-9	F	M	F	M	F	M	F	M	F	M
Positive														
Negative														
Sub-total	Subtotal													

Required — **Mobile Service Modality Disaggregated by Age / Sex / Result (Coarse Disaggregate)** Do not report Index Testing here.

	Unknown Age		<15		15+	
	F	M	F	M	F	M
Positive						
Negative						
Sub-total	Subtotal					

PEPFAR
U.S. President's Emergency Plan for AIDS Relief

10.59 HTS_TST (Community) VCT Service – FY18 RESULT

DSD: HTS_TST (Community) - VCT Service Modality - Collapse

Required — VCT Service Modality Disaggregated by Age / Sex / Result (Fine Disaggregate) Do not report Index Testing here.

	Unknown Age		Under 10				10-14		15-19		20-24		25-49		50+	
	F	M	<1	1-9	F	M	F	M	F	M	F	M	F	M	F	M
Positive																
Negative																
Sub-total	Subtotal															

Conditional — VCT Service Modality Disaggregated by Age / Sex / Result (Coarse Disaggregate) - USE WITH HQ PERMISSION ONLY Do not report Index Testing here. ⊟ Collapse

	Unknown Age		<15		15+	
	F	M	F	M	F	M
Positive						
Negative						
Sub-total	Subtotal					

10.60 HTS_TST (Community) VCT Service – COP18/FY19 TARGET

DSD: HTS_TST (Community) - VCT Service Modality - Collapse

Required | **VCT Service Modality Disaggregated by Age / Sex / Result (Fine Disaggregate)** Do not report Index Testing here.

	Unknown Age		Under 10		10-14		15-19		20-24	
	F	M	<1	1-9	F	M	F	M	F	M
Positive										
Negative										

	25-29		30-34		35-39		40-49		50+	
	F	M	F	M	F	M	F	M	F	M
Positive										
Negative										

Sub-total Subtotal

10.61 HTS_TST (Community) VCT Service – FY17 RESULT

DSD: HTS_TST (Community) - VCT Service Modality — Collapse

Required — VCT Service Modality Disaggregated by Age / Sex / Result (Fine Disaggregate) Do not report Index Testing here.

	Unknown Age		Under 10		10-14		15-19		20-24		25-49		50+	
	F	M	<1	1-9	F	M	F	M	F	M	F	M	F	M
Positive														
Negative														
Sub-total	Subtotal													

Conditional — VCT Service Modality Disaggregated by Age / Sex / Result (Coarse Disaggregate) - USE WITH HQ PERMISSION ONLY Do not report Index Testing here. — Collapse

	Unknown Age		<15		15+	
	F	M	F	M	F	M
Positive						
Negative						
Sub-total	Subtotal					

10.62 HTS_TST (Community) VCT Service – COP17/FY18 TARGET

DSD: HTS_TST (Community) - VCT Service Modality — Collapse

DREAMS Only — **VCT Service Modality Disaggregated by Age / Sex / Result (DREAMS Only)** Do not report Index Testing here.

	Unknown Age		Under 10		10-14		15-19		20-24		25-49		50+	
	F	M	<1	1-9	F	M	F	M	F	M	F	M	F	M
Positive														
Negative														
Sub-total	Subtotal													

Required — **VCT Service Modality Disaggregated by Age / Sex / Result (Coarse Disaggregate)** Do not report Index Testing here.

	Unknown Age		<15		15+	
	F	M	F	M	F	M
Positive						
Negative						
Sub-total	Subtotal					

10.63 HTS_TST (Community) Other Service – FY18 RESULT

DSD: HTS_TST (Community) - Other Service Modality - Collapse

Required — Other Service Modality Disaggregated by Age / Sex / Result (Fine Disaggregate) Do not report Index Testing here.

	Unknown Age		Under 10		10-14		15-19		20-24		25-49		50+	
	F	M	<1	1-9	F	M	F	M	F	M	F	M	F	M
Positive														
Negative														
Sub-total	Subtotal													

Conditional — Other Service Modality Disaggregated by Age / Sex / Result (Coarse Disaggregate) - USE WITH HQ PERMISSION ONLY Do not report Index Testing here.

Collapse

	Unknown Age		<15		15+	
	F	M	F	M	F	M
Positive						
Negative						
Sub-total	Subtotal					

PEPFAR
U.S. President's Emergency Plan for AIDS Relief

10.64 HTS_TST (Community) Other Service – COP18/FY19 TARGET

DSD: HTS_TST (Community) - Other Service Modality - Collapse

Required | **Other Service Modality Disaggregated by Age / Sex / Result (Fine Disaggregate)** Do not report Index Testing here.

	Unknown Age		Under 10		10-14		15-19		20-24	
	F	M	<1	1-9	F	M	F	M	F	M
Positive										
Negative										

	25-29		30-34		35-39		40-49		50+	
	F	M	F	M	F	M	F	M	F	M
Positive										
Negative										

Sub-total Subtotal

10.65 HTS_TST (Community) Other Service – FY17 RESULT

DSD: HTS_TST (Community) - Other Service Modality ⊟ Collapse

Required Other Service Modality Disaggregated by Age / Sex / Result (Fine Disaggregate) Do not report Index Testing here.

	Unknown Age		Under 10		10-14		15-19		20-24		25-49		50+	
	F	M	<1	1-9	F	M	F	M	F	M	F	M	F	M
Positive														
Negative														
Sub-total	Subtotal													

Conditional Other Service Modality Disaggregated by Age / Sex / Result (Coarse Disaggregate) - USE WITH HQ PERMISSION ONLY Do not report Index Testing here. ⊟ Collapse

	Unknown Age		<15		15+	
	F	M	F	M	F	M
Positive						
Negative						
Sub-total	Subtotal					

10.66 HTS_TST (Community) Other Service – COP17/FY18 TARGET

DSD: HTS_TST (Community) - Other Service Modality — Collapse

DREAMS Only — Other Service Modality Disaggregated by Age / Sex / Result (DREAMS Only) Do not report Index Testing here.

	Unknown Age		Under 10		10-14		15-19		20-24		25-49		50+	
	F	M	<1	1-9	F	M	F	M	F	M	F	M	F	M
Positive														
Negative														
Sub-total	Subtotal													

Required — Other Service Modality Disaggregated by Age / Sex / Result (Coarse Disaggregate) Do not report Index Testing here.

	Unknown Age		<15		15+	
	F	M	F	M	F	M
Positive						
Negative						
Sub-total	Subtotal					

11.1 HTS_SELF – FY18 RESULT [This is a NEW Modality for FY18]



DSD: HTS_SELF - Collapse

Auto-Calculate — Number of individual HIV self-test kits distributed. Numerator will auto-calculate from the directly-assisted/unassisted self-testing types. HTS_SELF is not reported under HTS_TST (or HTS_TST_POS) results.

Numerator [Subtotal]

Required — Distribution of self-test kits by Directly Assisted and Unassisted self-testing types.

Directly Assisted	
Unassisted	
Sub-total	[Subtotal]

Required — Enter the number of self-test kits distributed for directly assisted testing. Disaggregated by Directly Assisted / Age / Sex.

	Unknown Age	10-14	15-19	20-24	25-49	50+	
Female							[Subtotal]
Male							[Subtotal]

Optional — Enter the number of self-test kits distributed for unassisted testing. Disaggregated by Unassisted /Age/ Sex.

	Unknown Age	10-14	15-19	20-24	25-49	50+	
Female							[Subtotal]
Male							[Subtotal]

Optional — Enter the number of self-test kits distributed to key populations for directly assisted or unassisted testing. Disaggregated by key population type / self-testing type.

Category	Directly Assisted	Unassisted	Sub-total
PWID			[Subtotal]
MSM			[Subtotal]
Transgender People			[Subtotal]
FSW			[Subtotal]
People in prison and other closed settings			[Subtotal]

Optional — Disaggregate of Unassisted self-testing kits distributed. Enter the number of unassisted self-test kits distributed for use by:

	Self	Sex Partner	Other
Unassisted self-testing kit used by:			

11.2 HTS_SELF – COP18/FY19 TARGET [This is a NEW Modality for FY18]



DSD: HTS_SELF - Collapse

Auto-Calculate — Number of individual HIV self-test kits distributed. Numerator will auto-calculate from the directly-assisted/unassisted self-testing types. HTS_SELF is not reported under HTS_TST (or HTS_TST_POS) results.

Numerator [Subtotal]

Required — Distribution of self-test kits by Directly Assisted and Unassisted self-testing types.

Directly Assisted	
Unassisted	
Sub-total	[Subtotal]

Required — Enter the number of self-test kits distributed for directly assisted testing. Disaggregated by Directly Assisted / Age / Sex.

	Unknown Age	10-14	15-19	20-24	25-49	50+	
Female							[Subtotal]
Male							[Subtotal]

Optional — Enter the number of self-test kits distributed for unassisted testing. Disaggregated by Unassisted /Age/ Sex.

	Unknown Age	10-14	15-19	20-24	25-49	50+	
Female							[Subtotal]
Male							[Subtotal]

Optional — Enter the number of self-test kits distributed to key populations for directly assisted or unassisted testing. Disaggregated by key population type / self-testing type.

Category	Directly Assisted	Unassisted	Sub-total
PWID			[Subtotal]
MSM			[Subtotal]
Transgender People			[Subtotal]
FSW			[Subtotal]
People in prison and other closed settings			[Subtotal]

Optional — Disaggregate of Unassisted self-testing kits distributed. Enter the number of unassisted self-test kits distributed for use by:

	Self	Sex Partner	Other
Unassisted self-testing kit used by:			

12.1 PMTCT_STAT Numerator – FY18 RESULT

DSD: PMTCT_STAT (Numerator) - Collapse

Required	Number of pregnant women with known HIV status at first antenatal care visit (ANC1) (includes those who already knew their HIV status prior to ANC1).

Numerator

Required	Disaggregated by Age (Fine Disaggregate)

	Unknown Age	<10	10-14	15-19	20-24	25-49	50+
Female							
Sub-total	Subtotal						

Required	Disaggregated by Status and Age

	Unknown Age	<10	10-14	15-19	20-24	25-49	50+	
Known Positives:								Subtotal
Newly Tested Positives:								Subtotal
New Negatives:								Subtotal
Sub-total	Subtotal							

12.2 PMTCT_STAT Numerator – COP18/FY19 TARGET

DSD: PMTCT_STAT (Numerator) - Collapse

Required	Number of pregnant women with known HIV status at first antenatal care visit (ANC1) (includes those who already knew their HIV status prior to ANC1).

Numerator

Required	Disaggregated by Age (Fine Disaggregate)

	Unknown Age	<10	10-14	15-19	20-24	25-29	30-34	35-39	40-49	50+
Female										
Sub-total	Subtotal									

Required	Disaggregated by Status and Age

	Unknown Age	<10	10-14	15-19	20-24	25-29	30-34	35-39	40-49	50+	
Known Positives:											Subtotal
Newly Tested Positives:											Subtotal
New Negatives:											Subtotal
Sub-total	Subtotal										

12.3 PMTCT_STAT Numerator – FY17 RESULT

DSD: PMTCT_STAT (Numerator) — Collapse

Required	Number of pregnant women with known HIV status (includes those who already knew their HIV status prior to ANC)
Numerator	
Required	**Disaggregated by Age (Fine Disaggregate)**

Unknown	<10	10-14	15-19	20-24	25-49	50+

Sub-total Subtotal

Required **Disaggregated by Status and Age**

	Unknown	<10	10-14	15-19	20-24	25-49	50+	
Known Positives:								Subtotal
Newly Tested Positives:								Subtotal
New Negatives:								Subtotal

Sub-total Subtotal

12.4 PMTCT_STAT Numerator – COP17/FY18 TARGET

DSD: PMTCT_STAT (Numerator) — Collapse

Required Number of pregnant women with known HIV status (includes those who already knew their HIV status prior to ANC)

Numerator

Required **Disaggregated by Age (Fine Disaggregate)**

Unknown	<10	10-14	15-19	20-24	25-49	50+

Sub-total Subtotal

Required **Disaggregated by Status and Age**

	Unknown	<10	10-14	15-19	20-24	25-49	50+	
Known Positives:								Subtotal
Newly Tested Positives:								Subtotal
New Negatives:								Subtotal

Sub-total Subtotal

12.5 PMTCT_STAT Denominator – FY18 RESULT



12.6 PMTCT_STAT Denominator – COP18/FY19 TARGET



12.7 PMTCT_STAT Denominator – FY17 RESULT



12.8 PMTCT_STAT Denominator – COP17/FY18 TARGET



13.1 PMTCT_EID – FY18 RESULT

DSD: PMTCT_EID		- Collapse
Auto-Calculate	Number of infants who had a virologic HIV test within 12 months of birth during the reporting period. Numerator will auto-calculate from infant age at first test.	
Numerator Subtotal		
Required	Disaggregated by infant age at first test	
	0 ≤ 2 Months	2 - 12 Months
Infants who had a first virologic HIV test (sample collected) by:		

13.2 PMTCT_EID – COP18/FY19 TARGET

DSD: PMTCT_EID		- Collapse
Auto-Calculate	Number of infants who had a virologic HIV test within 12 months of birth during the reporting period. Numerator will auto-calculate from infant age at first test.	
Numerator Subtotal		
Required	Disaggregated by infant age at first test	
	0 ≤ 2 Months	2 - 12 Months
Infants who had a first virologic HIV test (sample collected) by:		

13.3 PMTCT_EID – FY17 RESULT

DSD: PMTCT_EID			Collapse
Auto-Calculate	Number of infants who had a virologic HIV test within 12 months of birth during the reporting period. Numerator will auto-calculate from the Infant Test Results.		
Numerator	Subtotal		
Required	**Disaggregated by Infant Test Results**		
Infants who received their first virologic test within:	0 - 2 Months	2 - 12 Months	
Positive			
Negative			
Collected / Sent but no result recorded			
Sub-total	Subtotal	Subtotal	

13.4 PMTCT_EID – COP17/FY18 TARGET

DSD: PMTCT_EID			⊖ Collapse
Auto-Calculate	Number of infants who had a virologic HIV test within 12 months of birth during the reporting period. Numerator will auto-calculate from the Infant Test Results.		
Numerator	Subtotal		
Required	**Disaggregated by Infant Test Results**		
Infants who received their first virologic test within:	0 - 2 Months	2 - 12 Months	
Positive			
Negative			
Collected / Sent but no result recorded			
Sub-total	Subtotal	Subtotal	

14.1 PMTCT_HEI_POS – FY18 RESULT

[PMTCT_HEI_POS is a NEW indicator for FY18. There is no Target data entry form]



[PMTCT_HEI_POS is a NEW indicator for FY18. There is no Target data entry form]

15.1 TB_STAT Numerator – FY18 RESULT

DSD: TB_STAT (Numerator) - Collapse

Required	Number of new and relapsed TB cases with documented HIV status, during the reporting period.
Numerator	
Required	**Disaggregated by Age / Sex / Result**

	Known Positives			Newly Tested Positives			New Negatives		
	Unknown Age	<15	>15	Unknown Age	<15	>15	Unknown Age	<15	>15
Female									
Male									
Sub-total	Subtotal			Subtotal			Subtotal		

15.2 TB_STAT Numerator – COP18/FY19 TARGET

DSD: TB_STAT (Numerator) - Collapse

Required	Number of new and relapsed TB cases with documented HIV status, during the reporting period.
Numerator	
Required	**Disaggregated by Age / Sex (Coarse Disaggregate)**

	<15	15+
Female		
Male		
Sub-total	Subtotal	

15.3 TB_STAT Numerator – FY17 RESULT

DSD: TB_STAT (Numerator) ⊖ Collapse

Required	Number of new and relapsed TB cases with documented HIV status, during the reporting period.

Numerator

Required	**Disaggregated by Age / Sex / Result**

	Known Positives			Newly Tested Positives			New Negatives		
	Unknown	<15	>15	Unknown	<15	>15	Unknown	<15	>15
Unknown Sex									
Female									
Male									
Sub-total		Subtotal			Subtotal			Subtotal	

15.4 TB_STAT Numerator – COP17/FY18 TARGET

DSD: TB_STAT (Numerator)			⊖ Collapse
Required	Number of new and relapsed TB cases with documented HIV status, during the reporting period.		
Numerator			
Required	**Disaggregated by Age / Sex (Coarse Disaggregate)**		
	<15	**15+**	
Female			
Male			
Sub-total	Subtotal		

15.5 TB_STAT Denominator – FY18 RESULT

DSD: TB_STAT (Denominator)				- Collapse
Required	Total number of new and relapsed TB cases, during the reporting period.			
Denominator				
Required	Disaggregated by Age / Sex			
	Unknown Age	<15	15+	
Female				
Male				
Sub-Total	Subtotal			

15.6 TB_STAT Denominator – COP18/FY19 TARGET

DSD: TB_STAT (Denominator)			- Collapse
Required	Total number of new and relapsed TB cases, during the reporting period.		
Denominator			
Required	Disaggregated by Age / Sex (Coarse Disaggregate)		
	<15	15+	
Female			
Male			
Sub-total	Subtotal		

15.7 TB_STAT Denominator – FY17 RESULT

DSD: TB_STAT (Denominator)				Collapse
Required	Total number of new and relapsed TB cases, during the reporting period.			
Denominator				
Required	**Disaggregated by Age / Sex**			
	Unknown	**<15**	**15+**	
Unknown Sex				
Female				
Male				
Sub-Total	Subtotal			

15.8 TB_STAT Denominator – COP17/FY18 TARGET

DSD: TB_STAT (Denominator)			Collapse
Required	Total number of new and relapsed TB cases, during the reporting period.		
Denominator			
Required	**Disaggregated by Age / Sex (Coarse Disaggregate)**		
	<15	**15+**	
Female			
Male			
Sub-total	Subtotal		

16.1 OVC_HIVSTAT – FY18 RESULT

DSD: OVC_HIVSTAT	- Collapse
Auto-Calculate	**Number of OVC with HIV status reported to implementing partner (including status not reported). Numerator will auto-calculate from Status Type Disaggregate.**
Numerator [Subtotal]	
Required	**Disaggregated by Status Type**
Reported HIV positive to IP (includes tested in the reporting period and known positive)	
Of those positive: Currently receiving ART	
Of those positive: Not Currently receiving ART	
Reported HIV Negative to IP	
No HIV status reported to the implementing partner	
Of those not reported: Test not indicated	
Of those not reported: Other Reasons	

16.2 OVC_HIVSTAT – COP18/FY19 TARGET

DSD: OVC_HIVSTAT	- Collapse
Required	**Number of OVC with HIV status reported to implementing partner (including status not reported).**
Numerator	

16.3 OVC_HIVSTAT – FY17 RESULT

DSD: OVC_HIVSTAT	⊟ Collapse
Auto-Calculate	Number of OVC with HIV status reported to implementing partner (including status not reported). Numerator will auto-calculate from Status Type Disaggregate.
Numerator	Subtotal
Required	**Disaggregated by Status Type**
Reported HIV positive to IP (includes tested in the reporting period and known positive)	
Of those positive: Currently receiving ART	
Of those positive: Not Currently receiving ART	
Reported HIV Negative to IP	
No HIV status reported to the implementing partner	
Of those not reported: Test not indicated	
Of those not reported: Other Reasons	

16.4 OVC_HIVSTAT – COP17/FY18 TARGET

[There was no OVC_HIVSTAT COP17/FY18 Target data entry screen]

17.1 PMTCT_FO – FY18 RESULT

*NO TARGETS

DSD: PMTCT_FO	- Collapse
Required	Number of HIV-exposed infants who were born 24 months prior to the reporting period and registered in the birth cohort.
Denominator	
Auto-Calculate	Number of HIV-exposed infants with a documented outcome by 18 months of age disaggregated by outcome type. Numerator will auto-calculate from the Outcome Type Disaggregate.
Numerator	Subtotal
Required	Numerator: Disaggregated by Outcome Type
HIV-infected	
HIV-uninfected	
HIV-final status unknown	
Died without status known	

17.2 PMTCT_FO – COP18/FY19 TARGET

[There is no PMTCT_FO COP18/FY19 Target data entry screen]

17.3 PMTCT_FO – FY17 RESULT

*NO TARGETS

DSD: PMTCT_FO	Collapse
Required	Number of HIV-exposed infants who were born 24 months prior to the reporting period and registered in the birth cohort.
Denominator	
Auto-Calculate	Number of HIV-exposed infants with a documented outcome by 18 months of age disaggregated by outcome type. Numerator will auto-calculate from the Outcome Type Disaggregate.
Numerator	Subtotal
Required	**Numerator: Disaggregated by Outcome Type**
HIV-infected	
HIV-uninfected	
HIV-final status unknown	
Died without status known	

17.4 PMTCT_FO – COP17/FY18 TARGET

[There was no PMTCT_FO COP17/FY18 Target data entry screen]

PEPFAR
U.S. President's Emergency Plan for AIDS Relief

90:90 = ON ART

18.1 TX_NEW – FY18 RESULT



18.2 TX_NEW – COP18/FY19 TARGET

DSD: TX_NEW - Collapse

Required	Number of adults and children newly enrolled on antiretroviral therapy (ART).
Numerator	
Required	Disaggregated by Pregnancy/Breastfeeding Status at ART initiation
Pregnant	
Breastfeeding	
Sub-total	Subtotal
Optional	Disaggregated by key population type: To be completed in countries where the environment is safe to collect this information.

	Total
PWID	
MSM	
Transgender People	
FSW	
People in prison and other closed settings	

Required	Disaggregated by Age / Sex (Fine Disaggregate)								
Under 10	<1	1-9							Subtotal
Female	10-14	15-19	20-24	25-29	30-34	35-39	40-49	50+	Subtotal
Male	10-14	15-19	20-24	25-29	30-34	35-39	40-49	50+	Subtotal
Sub-total	Subtotal								

18.3 TX_NEW – FY17 RESULT



18.4 TX_NEW – COP17/FY18 TARGET

19.1 TX_CURR – FY18 RESULT



19.2 TX_CURR – COP18/FY19 TARGET



19.3 TX_CURR – FY17 RESULT

DSD: TX_CURR — Collapse

Required — Number of adults and children currently receiving antiretroviral therapy (ART).

Numerator

Required — **Disaggregated by Age / Sex (Fine Disaggregate)**

Under 10	<1	1-9					Subtotal
Female			10-14	15-19	20-24	25-49	50+ Subtotal
Male			10-14	15-19	20-24	25-49	50+ Subtotal
Sub-total	Subtotal						

Conditional — **Disaggregated by Age / Sex (Coarse Disaggregate) - USE WITH HQ PERMISSION ONLY** — Collapse

	Unknown	<15	15+
Unknown Sex			
Female			
Male			
Sub-Total		Subtotal	

19.4 TX_CURR – COP17/FY18 TARGET

DSD: TX_CURR — Collapse

Required — Number of adults and children currently receiving antiretroviral therapy (ART).

Numerator

DREAMS Only — **Disaggregated by Age / Sex (DREAMS Only)**

	<1	1-9	10-14	15-19	20-24	25-49	50+	
Under 10								Subtotal
Female								Subtotal
Male								Subtotal
Sub-total	Subtotal							

Required — **Disaggregated by Age / Sex (Coarse Disaggregate)**

	<15	15+	
Female			
Male			
Sub-total	Subtotal		

20.1 PMTCT_ART – FY18 RESULT

DSD: PMTCT_ART	- Collapse
Auto-Calculate	Number of HIV-positive pregnant women who received ART to reduce the risk of mother-to-child-transmission during pregnancy. Numerator will auto-calculate from the Maternal Regimen Type Disaggregates.
Numerator Subtotal	
Required	Disaggregated by Regimen Type:
New on ART	
Already on ART at the beginning of current pregnancy	

20.2 PMTCT_ART – COP18/FY19 TARGET

DSD: PMTCT_ART	- Collapse
Auto-Calculate	Number of HIV-positive pregnant women who received ART to reduce the risk of mother-to-child-transmission during pregnancy. Numerator will auto-calculate from the Maternal Regimen Type Disaggregates.
Numerator Subtotal	
Required	Disaggregated by Regimen Type:
New on ART	
Already on ART at the beginning of current pregnancy	

20.3 PMTCT_ART – FY17 RESULT

DSD: PMTCT_ART	Collapse
Auto-Calculate	Number of HIV-positive pregnant women who received ART to reduce the risk of mother-to-child-transmission during pregnancy. Numerator will auto-calculate from the Maternal Regimen Type Disaggregates.
Numerator	Subtotal
Required	**Disaggregated by Regimen Type:**
New on ART	
Already on ART at the beginning of current pregnancy	

20.4 PMTCT_ART – COP17/FY18 TARGET

DSD: PMTCT_ART	Collapse
Auto-Calculate	Number of HIV-positive pregnant women who received ART to reduce the risk of mother-to-child-transmission during pregnancy. Numerator will auto-calculate from the Maternal Regimen Type Disaggregates.
Numerator	Subtotal
Required	**Disaggregated by Regimen Type:**
New on ART	
Already on ART at the beginning of current pregnancy	

21.1 TB_ART Numerator – FY18 RESULT

DSD: TB_ART (Numerator) - Collapse

Required	Number of TB cases with documented HIV-positive status who start or continue ART during the reporting period.
Numerator	
Required	**Disaggregated by Result**
Already on ART	
New on ART	
Sub-total	Subtotal
Required	**Disaggregated by Age / Sex (Fine Disaggregate)**
Under 10	<1 1-9 Subtotal
Female	10-14 15-19 20-24 25-49 50+ Subtotal
Male	10-14 15-19 20-24 25-49 50+ Subtotal
Sub-total	Subtotal
Conditional	**Disaggregated by Age / Sex (Coarse Disaggregate) - USE WITH HQ PERMISSION ONLY** ⊟ Collapse
	<15 15+
Female	
Male	
Sub-total	Subtotal

21.2 TB_ART Numerator – COP18/ FY19 TARGET

DSD: TB_ART (Numerator)			- Collapse
Required	Number of TB cases with documented HIV-positive status who start or continue ART during the reporting period.		
Numerator			
Required	Disaggregated by Age / Sex (Coarse Disaggregate)		
	<15	15+	
Female			
Male			
Sub-total	Subtotal		

21.3 TB_ART Numerator – FY17 RESULT

DSD: TB_ART (Numerator) — Collapse

Required	Number of TB cases with documented HIV-positive status who start or continue ART during the reporting period.
Numerator	
Required	**Disaggregated by Result**
Already on ART	
New on ART	
Sub-total	Subtotal
Required	**Disaggregated by Age / Sex (Fine Disaggregate)**
Under 10	<1 1-9 Subtotal
Female	10-14 15-19 20-24 25-49 50+ Subtotal
Male	10-14 15-19 20-24 25-49 50+ Subtotal
Sub-total	Subtotal
Conditional	**Disaggregated by Age / Sex (Coarse Disaggregate) - USE WITH HQ PERMISSION ONLY** — Collapse
	<15 **15+**
Female	Subtotal
Male	Subtotal
Sub-total	Subtotal

21.4 TB_ART Numerator – COP17/FY18 TARGET

DSD: TB_ART (Numerator)			Collapse
Required	Number of TB cases with documented HIV-positive status who start or continue ART during the reporting period.		
Numerator			
Required	**Disaggregated by Age / Sex (Coarse Disaggregate)**		
	<15	**15+**	
Female			
Male			
Sub-total	Subtotal		

21.5 TB_ART Denominator – FY18 RESULT

[The TB_ART Denominator was deprecated for FY18 Results]

21.6 TB_ART Denominator – COP18/ FY19 TARGET

[The TB_ART Denominator was deprecated for COP18/FY19 Targets

21.7 TB_ART Denominator – FY17 RESULT



21.8 TB_ART Denominator – COP17/ FY18 TARGET

DSD: TB_ART (Denominator)			Collapse
Required	Number of registered TB cases with documented HIV-positive status during the reporting period.		
Denominator			
Required	**Disaggregated by Age / Sex (Coarse Disaggregate)**		
	<15	**15+**	
Female			
Male			
Sub-total	Subtotal		

22.1 TX_TB Numerator – FY18 RESULT

DSD: TX_TB (Numerator)	- Collapse
Required	Number of ART patients who were started on TB treatment during the reporting period.
Numerator	
Required	Disaggregated by Current / New on ART
The number of patients starting TB treatment who newly started ART during the reporting period	
The number of patients starting TB treatment who were already on ART prior to the start of the reporting period	
Sub-total	Subtotal
Required	Disaggregated by Age / Sex (Coarse Disaggregate)

	<15	15+
Female		
Male		
Sub-total	Subtotal	

22.2 TX_TB Numerator – COP18/ FY19 TARGET

DSD: TX_TB (Numerator)	- Collapse
Required	Number of ART patients who were started on TB treatment during the reporting period.
Numerator	
Required	Disaggregated by Age / Sex (Coarse Disaggregate)
	<15 15+
Female	
Male	
Sub-total	Subtotal

22.3 TX_TB Numerator – FY17 RESULT

DSD: TX_TB (Numerator)			Collapse
Required	Number of ART patients who were started on TB treatment during the reporting period.		
Numerator			
Required	**Disaggregated by Current / New on ART**		
The number of patients starting TB treatment who newly started ART during the reporting period			
The number of patients starting TB treatment who were already on ART prior to the start of the reporting period			
Sub-total	Subtotal		
Required	**Disaggregated by Age / Sex (Coarse Disaggregate)**		
	<15	**15+**	
Female			
Male			
Sub-total	Subtotal		

22.4 TX_TB Numerator – COP17/ FY18 TARGET



22.5 TX_TB Denominator – FY18 RESULT



DSD: TX_TB (Denominator) - Collapse

Required — Number of ART patients who were screened for TB at least once during the reporting period.

Denominator

Required — Disaggregated by Start of ART by Screen Result

	Newly enrolled on ART	Previously enrolled on ART
Screen Positive		
Screen Negative		
Sub-total	Subtotal	

Required — Disaggregated by Specimen Sent

Number of ART patients who had a specimen sent for bacteriologic diagnosis of active TB disease

Required — [Disagg of Specimen Sent] Diagnostic Test

Number of patients whose specimens were sent for the following diagnostic tests:	Smear Only	Gene Xpert MTB / R if Assay	Other (No Xpert)	
				Subtotal

Required — Disaggregated by Age / Sex (Coarse Disaggregate)

	<15	15+
Female		
Male		
Sub-total	Subtotal	

22.6 TX_TB Denominator – COP18/ FY19 TARGET

DSD: TX_TB (Denominator) - Collapse

Required	Number of ART patients who were screened for TB at least once during the reporting period.
Denominator	

Required	Disaggregated by Start of ART by Screen Result	
	Newly enrolled on ART	Previously enrolled on ART
Screen Positive		
Screen Negative		
Sub-total	Subtotal	

Required	Disaggregated by Specimen Sent
Number of ART patients who had a specimen sent for bacteriologic diagnosis of active TB disease	

Required	[Disagg of Specimen Sent] Diagnostic Test			
Number of patients whose specimens were sent for the following diagnostic tests:	Smear Only	Gene Xpert MTB / R if Assay	Other (No Xpert)	Subtotal

Required	Disaggregated by Age / Sex (Coarse Disaggregate)	
	<15	15+
Female		
Male		
Sub-total	Subtotal	

22.7 TX_TB Denominator – FY17 RESULT

DSD: TX_TB (Denominator) — Collapse

Required	Number of ART patients who were screened for TB at least once during the reporting period
Denominator	
Required	**Disaggregated by Screen Result**
Number of ART patients who had at least one positive screen during the reporting period	
Number of ART patients who had all negative screens during the reporting period	
Sub-total	Subtotal
Required	Disaggregated by Specimen Sent
Number of ART patients who had a specimen sent for bacteriologic diagnosis of active TB disease	
Required	**[Disagg of Specimen Sent] Diagnostic Test**

Number of patients whose specimens were sent for the following diagnostic tests:	Smear Only	Gene Xpert MTB / R if Assay	Other (No Xpert)	
				Subtotal

Required	**Disaggregated by Age / Sex (Coarse Disaggregate)**	
	<15	**15+**
Female		
Male		
Sub-total	Subtotal	

22.8 TX_TB Denominator – COP17/ FY18 TARGET

DSD: TX_TB (Denominator)				Collapse
Required	Number of ART patients who were screened for TB at least once during the reporting period			
Denominator				
Required	**Disaggregated by Screen Result**			
Number of ART patients who had at least one positive screen during the reporting period				
Number of ART patients who had all negative screens during the reporting period				
Sub-total	Subtotal			
Required	Disaggregated by Specimen Sent			
Number of ART patients who had a specimen sent for bacteriologic diagnosis of active TB disease				
Required	**[Disagg of Specimen Sent] Diagnostic Test**			
Number of patients whose specimens were sent for the following diagnostic tests:	Smear Only	Gene Xpert MTB / R if Assay	Other (No Xpert)	Subtotal
Required	**Disaggregated by Age / Sex (Coarse Disaggregate)**			
	<15	**15+**		
Female				
Male				
Sub-total	Subtotal			

PEPFAR
U.S. President's Emergency Plan for AIDS Relief

90:90:90 = Viral Suppression

23.1 TX_RET Numerator – FY18 RESULT

DSD: TX_RET (Numerator) - Collapse

Number of adults and children who are still alive and on treatment at 12, 24, and 36 months after initiating ART

Required	12 Months	
Optional	24 Months	
Optional	36 Months	

Required — **Disaggregated by Pregnancy/Breastfeeding Status at ART initiation**

Pregnant	
Breastfeeding	
Sub-total	Subtotal

Required — **12 months retention. Disaggregated by Age and Sex (Fine Disaggregate)**

Under 10	<1	1-9					Subtotal
Female			10-14	15-19	20-24	25-49	50+ Subtotal
Male			10-14	15-19	20-24	25-49	50+ Subtotal
Sub-total	Subtotal						

Conditional — **12 months retention. Disaggregated by Age / Sex (Coarse Disaggregate) - USE WITH HQ PERMISSION ONLY** ⊟ Collapse

	Unknown Age	<15	15+
Female			
Male			
Sub-Total	Subtotal		

23.2 TX_RET Numerator – COP18/FY19 TARGET

DSD: TX_RET (Numerator)	- Collapse
Required	Number of adults and children who are still alive and on treatment at 12, 24, and 36 months after initiating ART
12 Months	
Required	Disaggregated by Pregnancy/Breastfeeding Status at ART initiation
Pregnant	
Breastfeeding	
Sub-total	Subtotal
Required	12 months retention. Disaggregated by Age / Sex (Coarse Disaggregate)

	<15	15+
Female		
Male		
Sub-total	Subtotal	

23.3 TX_RET Numerator – FY17 RESULT



23.4 TX_RET Numerator – COP17/FY18 TARGET

DSD: TX_RET (Numerator) — Collapse

Number of adults and children who are still alive and on treatment at 12, 24, and 36 months after initiating ART

Required	12 Months	
Required	**Disaggregated by Pregnancy/Breastfeeding Status at ART initiation**	
	Pregnant	
	Breastfeeding	
	Sub-total	Subtotal
Required	**12 months retention. Disaggregated by Age / Sex (Coarse Disaggregate)**	
		<15 **15+**
	Female	
	Male	
	Sub-total	Subtotal

23.5 TX_RET Denominator – FY18 RESULT



23.6 TX_RET Denominator – COP18/FY19 TARGET

DSD: TX_RET (Denominator)	- Collapse
Required	Total number of adults and children who initiated ART in the 12, 24, 36 months prior to the beginning of the reporting period, including those who have died, those who have stopped ART, and those lost to follow-up
12 Months	
Required	Disaggregated by Pregnancy/Breastfeeding Status at ART initiation
Pregnant	
Breastfeeding	
Sub-total	Subtotal
Required	12 months retention. Disaggregated by Age / Sex (Coarse Disaggregate)

	<15	15+
Female		
Male		
Sub-total	Subtotal	

23.7 TX_RET Denominator – FY17 RESULT

DSD: TX_RET (Denominator) — Collapse

Total number of adults and children who initiated ART in the 12, 24, 36 months prior to the beginning of the reporting period, including those who have died, those who have stopped ART, and those lost to follow-up

Required	12 Months	
Optional	24 Months	
Optional	36 Months	

Required — **Disaggregated by Pregnancy/Breastfeeding Status at ART initiation**

Pregnant	
Breastfeeding	
Sub-total	Subtotal

Required — **12 months retention. Disaggregated by Age and Sex (Fine Disaggregate)**

Under 10	<1	1-9					Subtotal
Female			10-14	15-19	20-24	25-49	50+ Subtotal
Male			10-14	15-19	20-24	25-49	50+ Subtotal
Sub-total	Subtotal						

Conditional — **12 months retention. Disaggregated by Age / Sex (Coarse Disaggregate) - USE WITH HQ PERMISSION ONLY** Collapse

	Unknown	<15	15+
Unknown Sex			
Female			
Male			
Sub-Total		Subtotal	

23.8 TX_RET Denominator – COP17/FY18 TARGET

DSD: TX_RET (Denominator)			Collapse
Total number of adults and children who initiated ART in the 12, 24, 36 months prior to the beginning of the reporting period, including those who have died, those who have stopped ART, and those lost to follow-up			
Required	12 Months		
Required	**Disaggregated by Pregnancy/Breastfeeding Status at ART initiation**		
Pregnant			
Breastfeeding			
Sub-total	Subtotal		
Required	**12 months retention. Disaggregated by Age / Sex (Coarse Disaggregate)**		
	<15	**15+**	
Female			
Male			
Sub-total	Subtotal		

24.1 TX_PVLS Numerator – FY18 RESULT

DSD: TX_PVLS (Numerator) - Collapse

Auto-Calculate	Number of adults and pediatric patients on ART with suppressed viral load results (<1,000 copies/ml) documented in the medical records and/or supporting laboratory results within the past 12 months. Numerator will auto-calculate from the Indication Disaggregates.

Numerator [Subtotal]

Required	Disaggregated by Indication

Indication	Routine	Targeted	Not Documented

Required	Disaggregated by Preg / BF / Indication

	Routine	Targeted	Not Documented
Pregnant			
Breastfeeding			

Required	Disaggregated by Age / Sex / Testing Indication (Fine Disaggregate). Must complete finer disaggregates unless permitted by program.

Routine

	<1	1-9	10-14	15-19	20-24	25-49	50+	
Under 10								[Subtotal]
Female								[Subtotal]
Male								[Subtotal]

Routine Subtotal: [Subtotal]

PEPFAR
U.S. President's Emergency Plan for AIDS Relief

Targeted

	<1	1-9					
Under 10							Subtotal
Female			10-14	15-19	20-24	25-49	50+	Subtotal
Male			10-14	15-19	20-24	25-49	50+	Subtotal
Targeted Subtotal:	Subtotal							

Not Documented

	<1	1-9						
Under 10								Subtotal
Female			10-14	15-19	20-24	25-49	50+	Subtotal
Male			10-14	15-19	20-24	25-49	50+	Subtotal
Unknown Subtotal:	Subtotal							

Conditional | Disaggregated by Age / Sex / Testing Indication (Coarse Disaggregate). USE WITH HQ PERMISSION ONLY | Collapse

	Routine			Targeted			Not Documented		
	Unknown Age	<15	>15	Unknown Age	<15	>15	Unknown Age	<15	>15
Female									
Male									
Sub-total		Subtotal			Subtotal			Subtotal	

24.2 TX_PVLS Numerator – COP18/FY19 TARGET

[The TX_PVLS Numerator was deprecated for COP18/FY19 Targets]

24.3 TX_PVLS Numerator – FY17 RESULT

DSD: TX_PVLS (Numerator) — Collapse

Auto-Calculate Number of adults and pediatric patients on ART with suppressed viral load results (<1,000 copies/ml) documented in the medical records and/or supporting laboratory results within the past 12 months. Numerator will auto-calculate from the Indication Disaggregates.

Numerator [Subtotal]

Required **Disaggregated by Indication**

Indication	Routine	Targeted	Not Documented

Required **Disaggregated by Preg / BF / Indication**

	Routine	Targeted	Not Documented
Pregnant			
Breastfeeding			

Required **Disaggregated by Age / Sex / Testing Indication (Fine Disaggregate). Must complete finer disaggregates unless permitted by program.**

Routine

	<1	1-9	10-14	15-19	20-24	25-49	50+	
Under 10								[Subtotal]
Female								[Subtotal]
Male								[Subtotal]

Routine Subtotal: [Subtotal]

Targeted

	<1	1-9	10-14	15-19	20-24	25-49	50+	
Under 10								Subtotal
Female								Subtotal
Male								Subtotal

Targeted Subtotal: Subtotal

Not Documented

	<1	1-9	10-14	15-19	20-24	25-49	50+	
Under 10								Subtotal
Female								Subtotal
Male								Subtotal

Unknown Subtotal: Subtotal

Conditional **Disaggregated by Age / Sex / Testing Indication (Coarse Disaggregate). USE WITH HQ PERMISSION ONLY** ⊟ Collapse

	Routine			Targeted			Not Documented		
	Unknown	<15	>15	Unknown	<15	>15	Unknown	<15	>15
Unknown Sex									
Female									
Male									
Sub-total		Subtotal			Subtotal			Subtotal	

24.4 TX_PVLS Numerator – COP17/FY18 TARGET

DSD: TX_PVLS (Numerator) — Collapse

Auto-Calculate Number of adults and pediatric patients on ART with suppressed viral load results (<1,000 copies/ml) documented in the medical records and/or supporting laboratory results within the past 12 months. Numerator will auto-calculate from the Indication Disaggregates.

Numerator [Subtotal]

Required **Disaggregated by Indication**

Indication	Routine	Targeted	Not Documented

Required **Disaggregated by Preg / BF / Indication**

	Routine	Targeted	Not Documented
Pregnant			
Breastfeeding			

Required **Disaggregated by Age / Sex / Testing Indication (Coarse Disaggregate)**

	Routine			Targeted			Not Documented		
	Unknown	<15	>15	Unknown	<15	>15	Unknown	<15	>15
Unknown Sex									
Female									
Male									
Sub-total		Subtotal			Subtotal			Subtotal	

24.5 TX_PVLS Denominator – FY18 RESULT

DSD: TX_PVLS (Denominator) - Collapse

Required Number of adult and pediatric ART patients with a viral load result documented in the patient medical record and /or laboratory records in the past 12 months.

Denominator

Required Disaggregated by Indication

Indication	Routine	Targeted	Not Documented

Required Disaggregated by Preg / BF / Indication

	Routine	Targeted	Not Documented
Pregnant			
Breastfeeding			

Required Disaggregated by Age / Sex / Testing Indication (Fine Disaggregate). Must complete finer disaggregates unless permitted by program

Routine

	<1	1-9	10-14	15-19	20-24	25-49	50+	
Under 10								Subtotal
Female								Subtotal
Male								Subtotal

Routine Subtotal: Subtotal

Targeted

	<1	1-9	10-14	15-19	20-24	25-49	50+	
Under 10								Subtotal
Female								Subtotal
Male								Subtotal

Targeted Subtotal: Subtotal

Not Documented

	<1	1-9	10-14	15-19	20-24	25-49	50+	
Under 10								Subtotal
Female								Subtotal
Male								Subtotal

Unknown Subtotal: Subtotal

Conditional **Disaggregated by Age / Sex / Testing Indication (Coarse Disaggregate). USE WITH HQ PERMISSION ONLY** Collapse

	Routine			Targeted			Not Documented		
	Unknown Age	<15	>15	Unknown Age	<15	>15	Unknown Age	<15	>15
Female									
Male									
Sub-total		Subtotal			Subtotal			Subtotal	

24.6 TX_PVLS Denominator – COP18/FY19 TARGET

DSD: TX_PVLS (Denominator)	- Collapse
Required	Number of adult and pediatric ART patients with a viral load result documented in the patient medical record and /or laboratory records in the past 12 months.
Denominator	
Required	Disaggregated by Indication
Indication	Routine / Targeted / Not Documented
Required	Disaggregated by Age / Sex / Testing Indication (Coarse Disaggregate)

	Routine		Targeted		Not Documented	
	<15	15+	<15	15+	<15	15+
Female						
Male						
Sub-total	Subtotal		Subtotal		Subtotal	

24.7 TX_PVLS Denominator – FY17 RESULT

DSD: TX_PVLS (Denominator) — Collapse

Required Number of adult and pediatric ART patients with a viral load result documented in the patient medical record and /or laboratory records in the past 12 months.

Denominator [ ]

Required **Disaggregated by Indication**

Indication	Routine	Targeted	Not Documented
	[ ]	[ ]	[ ]

Required **Disaggregated by Preg / BF / Indication**

	Routine	Targeted	Not Documented
Pregnant	[ ]	[ ]	[ ]
Breastfeeding	[ ]	[ ]	[ ]

Required **Disaggregated by Age / Sex / Testing Indication (Fine Disaggregate). Must complete finer disaggregates unless permitted by program**

Routine

	<1	1-9	10-14	15-19	20-24	25-49	50+	
Under 10	[ ]	[ ]						Subtotal
Female			[ ]	[ ]	[ ]	[ ]	[ ]	Subtotal
Male			[ ]	[ ]	[ ]	[ ]	[ ]	Subtotal

Routine Subtotal: Subtotal

PEPFAR
U.S. President's Emergency Plan for AIDS Relief

Targeted

Under 10	<1	1-9					Subtotal
Female			10-14	15-19	20-24	25-49	50+	Subtotal
Male			10-14	15-19	20-24	25-49	50+	Subtotal
Targeted Subtotal:	Subtotal							

Not Documented

Under 10	<1	1-9						Subtotal
Female			10-14	15-19	20-24	25-49	50+	Subtotal
Male			10-14	15-19	20-24	25-49	50+	Subtotal
Unknown Subtotal:	Subtotal							

Conditional Disaggregated by Age / Sex / Testing Indication (Coarse Disaggregate). USE WITH HQ PERMISSION ONLY ⊟ Collapse

	Routine			Targeted			Not Documented		
	Unknown	<15	>15	Unknown	<15	>15	Unknown	<15	>15
Unknown Sex									
Female									
Male									
Sub-total		Subtotal			Subtotal			Subtotal	

24.8 TX_PVLS Denominator – COP17/FY18 TARGET

DSD: TX_PVLS (Denominator) — Collapse

Required Number of adult and pediatric ART patients with a viral load result documented in the patient medical record and /or laboratory records in the past 12 months.

Denominator

Required **Disaggregated by Indication**

Indication	Routine	Targeted	Not Documented

Required **Disaggregated by Preg / BF / Indication**

	Routine	Targeted	Not Documented
Pregnant			
Breastfeeding			

Required **Disaggregated by Age / Sex / Testing Indication (Coarse Disaggregate)**

	Routine			Targeted			Not Documented		
	Unknown	<15	>15	Unknown	<15	>15	Unknown	<15	>15
Unknown Sex									
Female									
Male									
Sub-total		Subtotal			Subtotal			Subtotal	

PEPFAR
U.S. President's Emergency Plan for AIDS Relief

Health Systems

25.1 SC_STOCK Numerator – FY18 RESULTS

*Medical Store Data Set ONLY – NO TARGETS

DSD: SC_STOCK (Numerators)	- Collapse
Required	Number of stock status observations per tracer commodity that are between the designed minimum and maximum quantities/months of stock from storage sites at a given level (Central, Regional, etc.) of the system.
Disaggregated by Commodity	
Male Condoms	
First Line ARVs	
Second Line ARVs	
HIV Rapid Test Kits	
TB Treatment Drugs	
OI Drugs	
Other	

25.2 SC_STOCK Numerator – FY17 RESULTS

*Medical Store Data Set ONLY – NO TARGETS

DSD: SC_STOCK (Numerators)	- Collapse
Required	Number of stock status observations per tracer commodity that are between the designed minimum and maximum quantities/months of stock from storage sites at a given level (Central, Regional, etc.) of the system.
Disaggregated by Commodity	
Male Condoms	
First Line ARVs	
Second Line ARVs	
HIV Rapid Test Kits	
TB Treatment Drugs	
OI Drugs	
Other	

25.3 SC_STOCK Denominator – FY18 RESULTS

*Medical Store Data Set ONLY – NO TARGETS

TA-SDI: SC_STOCK (Denominators)	- Collapse
Required	Total number of stock status observations per tracer commodity from storage sites at a given level (Central, Regional, etc.) of the system.
Disaggregated by Commodity	
Male Condoms	
First Line ARVs	
Second Line ARVs	
HIV Rapid Test Kits	
TB Treatment Drugs	
OI Drugs	
Other	

25.4 SC_STOCK Denominator – FY17 RESULTS

*Medical Store Data Set ONLY – NO TARGETS

TA-SDI: SC_STOCK (Denominators)	- Collapse
Required	Total number of stock status observations per tracer commodity from storage sites at a given level (Central, Regional, etc.) of the system.
Disaggregated by Commodity	
Male Condoms	
First Line ARVs	
Second Line ARVs	
HIV Rapid Test Kits	
TB Treatment Drugs	
OI Drugs	
Other	

26.1 HRH_PRE – FY18 Results

*MER Results: OU Level Data Set ONLY – NO TARGETS

HRH_PRE	- Collapse
Auto-Calculate	Number of new health workers who graduated from a pre-service training institution or program as a result of PEPFAR-supported strengthening efforts, within the reporting period, by select cadre. Numerator will auto-calculate from cadre disaggregates.
Numerator	Subtotal
Required	Disaggregated by Cadre Category
Doctors	
Nurses	
Midwives	
Social Service Workers	
Laboratory Professionals	
Other	

26.2 HRH_PRE – FY17 RESULTS

*MER Results: OU Level Data Set ONLY

HRH_PRE	- Collapse
Auto-Calculate	Number of new health workers who graduated from a pre-service training institution or program as a result of PEPFAR-supported strengthening efforts, within the reporting period, by select cadre. Numerator will auto-calculate from cadre disaggregates.
Numerator	Subtotal
Required	Disaggregated by Cadre Category
Doctors	
Nurses	
Midwives	
Social Service Workers	
Laboratory Professionals	
Other	

26.3 HRH_PRE – COP17/FY17 TARGETS

*MER Targets: OU Level Data Set ONLY

(This data set was deprecated for COP18/FY19 Targets)

HRH_PRE	⊟ Collapse
Auto-Calculate	Number of new health workers who graduated from a pre-service training institution or program as a result of PEPFAR-supported strengthening efforts, within the reporting period, by select cadre. Numerator will auto-calculate from cadre disaggregates.
Numerator	Subtotal
Required	**Disaggregated by Cadre**
Doctors	
Nurses	
Midwives	
Social Service Workers	
Laboratory Professionals	
Other	

27.1 HRH_CURR (Facility) – FY18 RESULTS

* NO TARGETS

HRH_CURR	- Collapse			
Auto-Calculate	Number of health worker full-time equivalents who are working on any HIV-related activities i.e. prevention, treatment and other HIV support and are receiving any type of support from PEPFAR at facility sites. Numerator will auto-calculate from Category and Support disaggregates.			
Numerator	Subtotal			
Required	Disaggregated by Cadre Category and Support Type			
	Support Type			
Cadre Category	Salaried Staff (FTE)	Staff Receiving Stipends (FTE)	Staff Receiving ONLY non-Monetary Support (FTE)	Sub-total
Clinical				Subtotal
Clinical Support				Subtotal
Management				Subtotal
Social Service				Subtotal
Lay				Subtotal
Other				Subtotal

27.2 HRH_CURR (Facility) – FY17 RESULTS

* NO TARGETS

HRH_CURR				- Collapse
Auto-Calculate	Number of health worker full-time equivalents who are working on any HIV-related activities i.e. prevention, treatment and other HIV support and are receiving any type of support from PEPFAR at facility sites. Numerator will auto-calculate from Category and Support disaggregates.			
Numerator	Subtotal			
Required	Disaggregated by Cadre Category and Support Type			
	Support Type			
Cadre Category	Salaried Staff (FTE)	Staff Receiving Stipends (FTE)	Staff Receiving ONLY non-Monetary Support (FTE)	Sub-total
Clinical				Subtotal
Clinical Support				Subtotal
Management				Subtotal
Social Service				Subtotal
Lay				Subtotal
Other				Subtotal

27.3 HRH_CURR (Community) – FY18 RESULTS

* NO TARGETS

HRH_CURR				- Collapse
Auto-Calculate	Number of health worker full-time equivalents who are working on any HIV-related activities i.e. prevention, treatment and other HIV support and are receiving any type of support from PEPFAR at community sites. Numerator will auto-calculate from Category and Support disaggregates.			
Numerator	Subtotal			
Required	Disaggregated by Cadre Category and Support Type			
	Support Type			
Cadre Category	Salaried Staff (FTE)	Staff Receiving Stipends (FTE)	Staff Receiving ONLY non-Monetary Support (FTE)	Sub-total
Clinical				Subtotal
Clinical Support				Subtotal
Management				Subtotal
Social Service				Subtotal
Lay				Subtotal
Other				Subtotal

27.4 HRH_CURR (Community) – FY17 RESULTS

* NO TARGETS

HRH_CURR				- Collapse
Auto-Calculate	Number of health worker full-time equivalents who are working on any HIV-related activities i.e. prevention, treatment and other HIV support and are receiving any type of support from PEPFAR at community sites. Numerator will auto-calculate from Category and Support disaggregates.			
Numerator	Subtotal			
Required	Disaggregated by Cadre Category and Support Type			
	Support Type			
Cadre Category	Salaried Staff (FTE)	Staff Receiving Stipends (FTE)	Staff Receiving ONLY non-Monetary Support (FTE)	Sub-total
Clinical				Subtotal
Clinical Support				Subtotal
Management				Subtotal
Social Service				Subtotal
Lay				Subtotal
Other				Subtotal

27.5 HRH_CURR (OU Level) – FY18 RESULTS

* NO TARGETS

HRH_CURR			- Collapse
Auto-Calculate	Number of health worker full-time equivalents who are working on any HIV-related activities i.e. prevention, treatment and other HIV support and are receiving any type of support from PEPFAR at above-site level. Numerator will auto-calculate from Category and Support disaggregates.		
Numerator	Subtotal		
Required	Disaggregated by Cadre Category and Support Type		
	Staffing Support Type		
Cadre Category	Salaried Staff (FTE)	Staff Receiving Stipends (FTE)	Sub-total
Management (Central Level)			Subtotal
Management (Sub-National Unit)			Subtotal
Epidemiologist / Surveillance			Subtotal
Faculty / Tutors			Subtotal
Other			Subtotal

27.6 HRH_CURR (OU Level) – FY17 RESULTS

* NO TARGETS

HRH_CURR			- Collapse
Auto-Calculate	Number of health worker full-time equivalents who are working on any HIV-related activities i.e. prevention, treatment and other HIV support and are receiving any type of support from PEPFAR at above-site level. Numerator will auto-calculate from Category and Support disaggregates.		
Numerator	Subtotal		
Required	Disaggregated by Cadre Category and Support Type		
	Staffing Support Type		
Cadre Category	Salaried Staff (FTE)	Staff Receiving Stipends (FTE)	Sub-total
Management (Central Level)			Subtotal
Management (Sub-National Unit)			Subtotal
Epidemiologist / Surveillance			Subtotal
Faculty / Tutors			Subtotal
Other			Subtotal

28.1 HRH_STAFF – FY18 RESULTS

*NO TARGETS

HRH_STAFF	- Collapse
Auto-Calculate	Total number of health care workers working in HIV service delivery at PEPFAR-supported clinical facility sites. Total will auto-calculate from the Cadre Disaggregates.
Numerator	Subtotal
Required	Disaggregated by Cadre Category
Clinical	
Clinical Support	
Management	
Social Service	
Lay	
Other	
Sub-total	Subtotal

28.2 HRH_STAFF – FY18 RESULTS

*NO TARGETS

HRH_STAFF	- Collapse
Auto-Calculate	Total number of health care workers working in HIV service delivery at PEPFAR-supported clinical facility sites. Total will auto-calculate from the Cadre Disaggregates.
Numerator	Subtotal
Required	Disaggregated by Cadre Category
Clinical	
Clinical Support	
Management	
Social Service	
Lay	
Other	
Sub-total	Subtotal

29.1 LAB_PTCQI – FY18 RESULTS

LAB_PTCQI (Lab-based) - Collapse

Required Enter the number of PEPFAR supported laboratory based sites or blood bank/centers performing the following tests and their current CQI status at this facility.

	How many sites perform this test but do not participate in CQI?	How many sites perform this test and participate in CQI, but have not been externally audited or accredited?	How many sites perform this test, participate in CQI, have been externally audited, but do not meet full accreditation standards?	How many sites perform this test, participate in CQI, have been externally audited & are fully Accredited?	Total number of sites performing this test supported at this Facility?.
HIV Serology/Diagnostic Testing					Subtotal
HIV IVT/EID					Subtotal
HIV Viral Load					Subtotal
TB Xpert					Subtotal
TB AFB					Subtotal
TB Culture					Subtotal
CD4					Subtotal
Other					Subtotal

Required Enter the number of PEPFAR supported laboratory based sites or blood bank/centers performing the following tests and their current PT status at this facility.

	How many sites performed this test but do not participate in PT?	How many sites perform this test and participate in PT, but did not pass last round?	How many sites perform this test, participate in PT and passed last round?	Total number of sites performing this test at this Facility?
HIV Serology/Diagnostic Testing				Subtotal

HIV IVT/EID				Subtotal
HIV Viral Load				Subtotal
TB Xpert				Subtotal
TB AFB				Subtotal
TB Culture				Subtotal
CD4				Subtotal
Other				Subtotal

Required **Enter the number of specimens received for testing at all PEPFAR-supported laboratory-based testing sites within a testing category:**

	HIV Serology/Diagnostic Testing	HIV IVT/EID	HIV Viral Load	TB Xpert	TB AFB	TB Culture	CD4	Other
Specimens received								

PEPFAR
U.S. President's Emergency Plan for AIDS Relief

LAB_PTCQI (POCT-based) - Collapse

Required

Enter the number of PEPFAR supported sites performing the following tests and their current CQI status at this facility.

	How many POCT sites perform this test but do not participate in CQI?	How many POCT sites perform this test and participate in CQI, but have not been externally audited or certified?	How many POCT sites perform this test, participate in CQI, and have been externally audited & achieved a score of 0-1 (≤ 59%)?	How many POCT sites perform this test, participate in CQI, have been externally audited & achieved a score of 2-3 (60%-89%)?	How many POCT sites perform this test, participate in CQI, have been externally audited & achieved a score of 4-certified (≥ 90%)?	Total number of POCT sites performing this test at this Facility?
HIV Serology/Diagnostic Testing						Subtotal
HIV IVT/EID						Subtotal
HIV Viral Load						Subtotal
TB Xpert						Subtotal
TB AFB						Subtotal
CD4						Subtotal
Other						Subtotal

PEPFAR
U.S. President's Emergency Plan for AIDS Relief

Required	Enter the number of PEPFAR supported sites performing the following tests and their current PT status at this facility.			
	How many POCT sites performed this test but do not participate in PT?	How many POCT sites perform this test and participate in PT, but did not pass last round?	How many POCT sites perform this test, participate in PT and passed last round?	Total number of POCT sites performing this test at this Facility?
HIV Serology/Diagnostic Testing				Subtotal
HIV IVT/EID				Subtotal
HIV Viral Load				Subtotal
TB Xpert				Subtotal
TB AFB				Subtotal
CD4				Subtotal
Other				Subtotal

Required	Enter the number of specimens received for testing at all PEPFAR-supported POCT sites within a testing category:						
	HIV Serology/Diagnostic Testing	HIV IVT/EID	HIV Viral Load	TB Xpert	TB AFB	CD4	Other
Specimens received							

29.2 LAB_PTCQI – COP18/FY19 TARGETS

[There is no LAB_PTCQI form for COP18/FY19 TARGET]

29.3 LAB_PTCQI – FY17 RESULTS

LAB_PTCQI (Lab-based) - Collapse

Required

Enter the number of PEPFAR supported laboratory based sites or blood bank/centers performing the following tests and their current CQI status at this facility.

	How many sites perform this test but do not participate in CQI?	How many sites perform this test and participate in CQI, but have not been externally audited or accredited?	How many sites perform this test, participate in CQI, have been externally audited, but do not meet full accreditation standards?	How many sites perform this test, participate in CQI, have been externally audited & are fully Accredited?	Total number of sites performing this test supported at this Facility?.
HIV Serology/Diagnostic Testing					Subtotal
HIV IVT/EID					Subtotal
HIV Viral Load					Subtotal
TB Xpert					Subtotal
TB AFB					Subtotal
TB Culture					Subtotal
CD4					Subtotal
Other					Subtotal

Required	Enter the number of PEPFAR supported laboratory based sites or blood bank/centers performing the following tests and their current PT status at this facility.			
	How many sites performed this test but do not participate in PT?	How many sites perform this test and participate in PT, but did not pass last round?	How many sites perform this test, participate in PT and passed last round?	Total number of sites performing this test at this Facility?
HIV Serology/Diagnostic Testing				Subtotal
HIV IVT/EID				Subtotal
HIV Viral Load				Subtotal
TB Xpert				Subtotal
TB AFB				Subtotal
TB Culture				Subtotal
CD4				Subtotal
Other				Subtotal

29.4 LAB_PTCQI – COP17/FY18 TARGETS




Other: LAB_PTCQI (POCT)
Collapse
Required
POCT ONLY: A. Is this PEPFAR-supported or POCT site participating in a CQI program to achieve certification?
Select One
Select op...
Required
POCT ONLY: B. Has this Community HTS or POCT site been externally audited? Please enter highest level of achievement
Select One
Select op...
Not Audited
Score: Level 0-1
Score: Level 2-3
Score: Level 4-Certified
Required
POCT ONLY: C. Does this PEPFAR-supported or POCT site participate in and successfully pass Proficiency Testing (PT) for either HIV rapid testing, EID, HIV VL, or TB?
Perform Test
Participate in PT
Pass PT
HIVRT
EID(POCT)
HIV Viral Load (POCT)
TB Xpert (POCT)
Yes (1)
No (0)
Not Applicable (99)

29.5 LAB_PTCQI_MIL – FY18 RESULTS

*NO TARGETS

LAB_PTCQI_MIL		- Collapse
Required	Total number of facilities with PEPFAR supported Labs	
Required	Total number of facilities with PEPFAR supported Point-Of-Care Testing (POCT) sites	

PEPFAR
U.S. President's Emergency Plan for AIDS Relief

LAB_PTCQI (Lab-based) - Collapse

Required

Enter the number of PEPFAR supported laboratory based sites or blood bank/centers performing the following tests and their current CQI status at this military program.

	How many sites perform this test but do not participate in CQI?	How many sites perform this test and participate in CQI, but have not been externally audited or accredited?	How many sites perform this test, participate in CQI, have been externally audited, but do not meet full accreditation standards?	How many sites perform this test, participate in CQI, have been externally audited & are fully Accredited?	Total number of sites performing this test supported by this Military Program?.
HIV Serology/Diagnostic Testing					Subtotal
HIV IVT/EID					Subtotal
HIV Viral Load					Subtotal
TB Xpert					Subtotal
TB AFB					Subtotal
TB Culture					Subtotal
CD4					Subtotal
Other					Subtotal

PEPFAR
U.S. President's Emergency Plan for AIDS Relief

Required **Enter the number of PEPFAR supported laboratory based sites or blood bank/centers performing the following tests and their current PT status at this military program.**

	How many sites performed this test but do not participate in PT?	How many sites perform this test and participate in PT, but did not pass last round?	How many sites perform this test, participate in PT and passed last round?	Total number of sites performing this test by this Military Program?
HIV Serology/Diagnostic Testing				Subtotal
HIV IVT/EID				Subtotal
HIV Viral Load				Subtotal
TB Xpert				Subtotal
TB AFB				Subtotal
TB Culture				Subtotal
CD4				Subtotal
Other				Subtotal

Required **Enter the number of specimens received for testing at all PEPFAR-supported laboratory-based testing sites within a testing category:**

	HIV Serology/Diagnostic Testing	HIV IVT/EID	HIV Viral Load	TB Xpert	TB AFB	TB Culture	CD4	Other
Specimens received								

PEPFAR
U.S. President's Emergency Plan for AIDS Relief

LAB_PTCQI (POCT-based) - Collapse

Required | **Enter the number of PEPFAR supported sites performing the following tests and their current CQI status at this military program.**

	How many POCT sites perform this test but do not participate in CQI?	How many POCT sites perform this test and participate in CQI, but have not been externally audited or certified?	How many POCT sites perform this test, participate in CQI, and have been externally audited & achieved a score of 0-1 (≤ 59%)?	How many POCT sites perform this test, participate in CQI, have been externally audited & achieved a score of 2-3 (60%-89%)?	How many POCT sites perform this test, participate in CQI, have been externally audited & achieved a score of 4-certified (≥ 90%)?	Total number of POCT sites performing this test by this Military Program?
HIV Serology/Diagnostic Testing						Subtotal
HIV IVT/EID						Subtotal
HIV Viral Load						Subtotal
TB Xpert						Subtotal
TB AFB						Subtotal
CD4						Subtotal
Other						Subtotal

PEPFAR
U.S. President's Emergency Plan for AIDS Relief

Required Enter the number of PEPFAR supported sites performing the following tests and their current PT status at this military program.

	How many POCT sites performed this test but do not participate in PT?	How many POCT sites perform this test and participate in PT, but did not pass last round?	How many POCT sites perform this test, participate in PT and passed last round?	Total number of POCT sites performing this test by this Military Program?
HIV Serology/Diagnostic Testing				Subtotal
HIV IVT/EID				Subtotal
HIV Viral Load				Subtotal
TB Xpert				Subtotal
TB AFB				Subtotal
CD4				Subtotal
Other				Subtotal

Required Enter the number of specimens received for testing at all PEPFAR-supported POCT sites within a testing category:

	HIV Serology/Diagnostic Testing	HIV IVT/EID	HIV Viral Load	TB Xpert	TB AFB	CD4	Other
Specimens received							

29.6 LAB_PTCQI_MIL – FY17 RESULTS

*NO TARGETS

LAB_PTCQI_MIL	- Collapse
Required	Total number of facilities with PEPFAR supported Labs
Required	Total number of facilities with PEPFAR supported Point-Of-Care Testing (POCT) sites

LAB_PTCQI (Lab-based)	- Collapse
Required	**Enter the number of PEPFAR supported laboratory based sites or blood bank/centers performing the following tests and their current CQI status at this military program.**

	How many sites perform this test but do not participate in CQI?	How many sites perform this test and participate in CQI, but have not been externally audited or accredited?	How many sites perform this test, participate in CQI, have been externally audited, but do not meet full accreditation standards?	How many sites perform this test, participate in CQI, have been externally audited & are fully Accredited?	Total number of sites performing this test supported by this Military Program?.
HIV Serology/Diagnostic Testing					Subtotal
HIV IVT/EID					Subtotal
HIV Viral Load					Subtotal
TB Xpert					Subtotal
TB AFB					Subtotal
TB Culture					Subtotal
CD4					Subtotal
Other					Subtotal

PEPFAR
U.S. President's Emergency Plan for AIDS Relief

Required	Enter the number of PEPFAR supported laboratory based sites or blood bank/centers performing the following tests and their current PT status at this military program.			
	How many sites performed this test but do not participate in PT?	How many sites perform this test and participate in PT, but did not pass last round?	How many sites perform this test, participate in PT and passed last round?	Total number of sites performing this test by this Military Program?
HIV Serology/Diagnostic Testing				Subtotal
HIV IVT/EID				Subtotal
HIV Viral Load				Subtotal
TB Xpert				Subtotal
TB AFB				Subtotal
TB Culture				Subtotal
CD4				Subtotal
Other				Subtotal

PEPFAR
U.S. President's Emergency Plan for AIDS Relief

LAB_PTCQI (POCT-based) - Collapse

Required | Enter the number of PEPFAR supported sites performing the following tests and their current CQI status at this military program.

	How many POCT sites perform this test but do not participate in CQI?	How many POCT sites perform this test and participate in CQI, but have not been externally audited or certified?	How many POCT sites perform this test, participate in CQI, and have been externally audited & achieved a score of 0-1 (≤ 59%)?	How many POCT sites perform this test, participate in CQI, have been externally audited & achieved a score of 2-3 (60%-89%)?	How many POCT sites perform this test, participate in CQI, have been externally audited & achieved a score of 4-certified (≥ 90%)?	Total number of POCT sites performing this test by this Military Program?
HIV Serology/Diagnostic Testing						Subtotal
HIV IVT/EID						Subtotal
HIV Viral Load						Subtotal
TB Xpert						Subtotal
TB AFB						Subtotal
CD4						Subtotal
Other						Subtotal

PEPFAR
U.S. President's Emergency Plan for AIDS Relief

Required	Enter the number of PEPFAR supported sites performing the following tests and their current PT status at this military program.			
	How many POCT sites performed this test but do not participate in PT?	How many POCT sites perform this test and participate in PT, but did not pass last round?	How many POCT sites perform this test, participate in PT and passed last round?	Total number of POCT sites performing this test by this Military Program?
HIV Serology/Diagnostic Testing				Subtotal
HIV IVT/EID				Subtotal
HIV Viral Load				Subtotal
TB Xpert				Subtotal
TB AFB				Subtotal
CD4				Subtotal
Other				Subtotal

30.1 EMR_SITE – FY18 RESULTS

*NO TARGETS



30.2 EMR_SITE – FY17 RESULTS

*NO TARGETS



30.3 EMR_SITE_MIL – FY18 RESULTS

*NO TARGETS

EMR_SITE_MIL	- Collapse
Required	Enter the total number of PEPFAR-supported military sites.
Numerator	
Required	Enter the total number of PEPFAR-supported military sites with an electronic medical record (EMR) for each service delivery area listed below.
Number of sites with an EMR for HIV Testing Services.	
Number of sites with an EMR for Care and Treatment Services (includes Pediatric and Adolescent Care and Treatment).	
Number of sites with an EMR for Antenatal Care and/or Maternity Service.	
Number of sites with an EMR for Early Infant Diagnosis and/or Under Five Clinic Services (not Pediatric ART Services).	
Number of sites with an EMR for HIV/TB Services.	

30.4 EMR_SITE_MIL – FY17 RESULTS

*NO TARGETS

EMR_SITE_MIL	- Collapse
Required	Enter the total number of PEPFAR-supported military sites.
Numerator	
Required	Enter the total number of PEPFAR-supported military sites with an electronic medical record (EMR) for each service delivery area listed below.
Number of sites with an EMR for HIV Testing Services.	
Number of sites with an EMR for Care and Treatment Services (includes Pediatric and Adolescent Care and Treatment).	
Number of sites with an EMR for Antenatal Care and/or Maternity Service.	
Number of sites with an EMR for Early Infant Diagnosis and/or Under Five Clinic Services (not Pediatric ART Services).	
Number of sites with an EMR for HIV/TB Services.	